



Turn your **outdoor dreams** into **reality.** We're here to help you every step of the way.



5 DREAM

Driveways, Entrances and Walkways, Outdoor Living, Pool Decks

47 LEARN

Construction 101, Product Quality, Care and Maintenance

55 PLAN

Choosing a Contractor, Design Considerations, Choosing Products, Project Management Tips

67 SELECT

EnduraColor™ Plus Architectural Finishes, EnduraColor™, Classic, Permeable, Vertical Dimensions



ON THE COVER

Tribeca Cobble (Crystalline Basalt) with (Peppered Granite) accent and Copthorne* (3 Color Blend)











DREAM

SOMETHING FOR EVERYONE

The following pages contain just a few of the infinite number of Unilock project possibilities. Visit our online project photo gallery at Unilock.com for hundreds more.

DRIVEWAYS
ENTRANCES & WALKWAYS
OUTDOOR LIVING
POOL DECKS





Bristol Valley* (Steel Mountain) with Town Hall* (Basalt) accent

PAVER: Umbriano* (Midnight Sky) with Brussels Block* (Limestone) and Series 3000* (Onyx Black) accents **WALL:** Olde Quarry* (River Blend) with Series 3000 (Onyx Black) accent

Town Hall (Heritage Red)







PAVER: Thornbury" (Alpine Grey)
FIRE FEATURE: Rivercrest* Wall
(Coastal Slate) with Natural Stone
(Black River) coping

воттом

PAVER: Beacon Hill" Flagstone (Bavarian Blend) with Copthorne' (Burgundy Red) accent ISLAND: Brussels Dimensional Stone' with Unigranite' accent

WALLS AND FIREPIT: Pisa2* (Sierra)

OPPOSITE

Richcliff" (Dawn Mist) with Courtstone" (Basalt) accent and Senzo™ star (Nuvola, Cremo and Castano)





TOP AND BOTTOM

PAVER: Artline™ (Steel Mountain) with Town Hall® (Basalt) accent and Ledgestone™ (Buff) coping


GRILL ISLAND, WATER FEATURE AND FIRE FEATURE: Lineo™ Dimensional Stone (Sierra)

SEAT WALL: Lineo Dimensional Stone (Sierra) with Ledgestone (Buff) coping and pillar cap

OPPOSITE


Thornbury™ (Alpine Grey) with Town Hall (Basalt) accent















PAVER: Artline" (Steel Mountain) and Artline (Il Campo" Finish - Granite Blend) with Series 3000" (Onyx Black) accent

WALL: Lineo™ Dimensional Stone (Granite Blend) with Series 3000 (Onyx Black) accent and Ledgestone™ (Grey) coping

TOP

PAVER: Artline (Umbriano* Finish -Winter Marvel and Midnight Sky) with Series 3000 (Onyx Black) accent

воттом

PAVER: Umbriano* (Midnight Sky) with Series 3000 (Onyx Black) accent

SEAT WALL AND FIREPIT: Rivercrest* Wall (Coastal Slate) with Series 3000 (Onyx Black) accent and Ledgestone (Grey) and Brussels Fullnose** (Limestone) coping

PAVER:

Umbriano* (Summer Wheat)

GRILL ISLAND AND SEAT WALL:

Estate Wall* (Sandstone) with Il Campo* (Oakwood) accent and Ledgestone™ coping (Buff)

FIREPLACE:

Brussels Dimensional Stone* fireplace with Il Campo (Oakwood) accent











RIGHT

Town Hall* (3 Color Blend)

LEFT

Umbriano" (Summer Wheat) with Senzo" (Castano) and Series 3000" (Onyx Black) accents

OPPOSITE
Copthorne (3 Color Blend)











Town Hall* (3 Color Blend and Heritage Red)

TOP

PAVER: Bristol Valley* (Steel Mountain) with Town Hall (Basalt) accent

WATER FEATURE: Lineo™ Dimensional Stone (Granite Blend) with Ledgestone™ (Grey) coping

воттом

PAVER: Beacon Hill™ Flagstone (Bavarian Blend) with Holland Premier™ (Heritage Brown) accent

SEAT WALLS, PILLARS, FIREPIT AND WATER FEATURES: Olde Quarry* (Sierra) with Brussels

Olde Quarry* (Sierra) with Brussels Fullnose™ (Sierra) coping and Ledgestone (Buff) coping and pillar cap





PAVER: Umbriano* (Summer Wheat)

GRILL ISLAND, SEAT WALL: Estate Wall* (Sandstone) with Il Campo* (Oakwood) accent and Ledgestone** (Buff) coping

FIREPLACE: Brussels Dimensional Stone* (Sandstone) with Ledgestone (Buff) coping

TOP

Thornbury™ (Bavarian Blend) with Town Hall" (Burgundy Red) accent and Ledgestone (Buff) coping

воттом

PAVER: Brussels Block* (Sandstone)

WALL & PILLARS: Brussels Dimensional Stone (Sandstone) with Copthorne* (Burgundy Red) accent and Brussels Fullnose™ (Sandstone) coping







Umbriano* (Winter Marvel) with Umbriano (Midnight Sky) accent

TOP

Richcliff" (Dawn Mist and Pebble Taupe) with Courtstone" (Basalt) accent and Ledgestone" (Buff) step treads

PILLARS: Brussels Dimensional Stone* (Sierra) with Ledgestone (Buff) pillar caps

воттом

MAIN PAVER: Umbriano* (Summer Wheat) with Series 3000* (Onyx Black) accent CIRCLE INSET: Artline™ (Bavarian Blend) with Series 3000 (Onyx Black) accent

SEAT WALL, PILLARS AND FIREPIT: Olde Quarry* (Sierra) with Series 3000 (Onyx Black) accent and Ledgestone (Buff) coping and pillar caps





Porcelain Tile (DaVinci Driftwood)

BOTTOM PAVER & STEPS:

Natural Stone (Indian Coast)

WALL: Rivercrest* Wall (Coastal Slate) with Natural Stone (Indian Coast) coping

OPPOSITE

Natural Stone (Indian Coast)











PAVER: Beacon Hill™ Flagstone (Alpine Grey) with Copthorne™ (Basalt) accent

PILLARS: Brussels Dimensional Stone* (Sierra) with Ledgestone™ (Grey) coping

TOP

PAVER: Artline™ (Bavarian Blend) with Town Hall® (Basalt) accent


GRILL ISLAND AND FIREPIT: Lineo™ Dimensional Stone (Sierra) with Ledgestone (Buff) coping


воттом

PAVER: Bristol Valley" (Steel Mountain) with Copthorne (Basalt) and Brussels Block" (Sandstone) accents

FIRE FEATURES, WATER FEATURE, GRILL ISLAND AND PILLARS:

Olde Quarry" (Sierra) with Copthorne (Basalt) accent and Brussels Fullnose" (Sandstone) coping and Ledgestone (Buff) pillar cap







Rivercrest* Wall (Buff) with Ledgestone™ (Buff) coping, step treads and pillar caps

PAVER: Umbriano* (Summer Wheat) with Senzo™ (Castano) accent and Ledgestone (Buff) coping

WALL: Rivercrest Wall (Coastal Slate) with Ledgestone (Grey) coping

воттом

PAVER: Umbriano (Summer Wheat) with Senzo (Castano) accent

WALL: Rivercrest Wall (Buff) with Senzo (Castano) accent

STEPS, PILLAR CAP AND COPING: Ledgestone (Buff) coping and pillar cap



Thornbury" (Bavarian Blend) with Courtstone' (Basalt) and Brussels Block' (Sandstone) accents

BOTTOMRivercrest* Wall (Coastal Slate) with Ledgestone™ (Buff) coping


OPPOSITE

Brussels Block (Sandstone) with Town Hall (Burgundy Red) accent and Courtstone (Basalt) walkway with circle inset











Town Hall* (3 Color Blend)

TOP

PAVER: Beacon Hill" Flagstone (Bavarian Blend) with Series 3000° (Onyx Black) and Il Campo° (Heritage Brown) accents


GRILL ISLAND, PILLARS AND WALL:
Brussels Dimensional Stone*
(Sandstone) with Series 3000 (Onyx
Black) accent and Brussels Fullnose*
(Sandstone) with Ledgestone* (Buff)
pillar cap

воттом

PAVER: Copthorne* (3 Color Blend) with Brussels Block* (Sandstone) accent

WALL, GRILL ISLAND, SEAT WALL AND PILLARS: Brussels Dimensional Stone (Sierra) with Copthorne' (3 Color Blend) accent

FIREPLACE: Tuscany Fireplace




Courtstone" (Basalt) with Copthorne"
(3 Color Blend) and Brussels Block" accents

BOTTOMTown Hall* (3 Color Blend)

OPPOSITE
Courtstone (Basalt, Belgian Blue and
Dawn Mist) with Copthorne (Burgundy
Red) accent






PAVER: Richcliff® (Dawn Mist) with Series 3000® (Onyx Black) accent and Brussels Fullnose™ (Sandstone) pool coping


WALL AND PILLARS: Estate Wall* (River) with Series 3000 (Onyx Black) accent













OPPOSITE


Umbriano" (Summer Wheat) and Courtstone" (Basalt) accent

TOP

PAVER: Richcliff' (Dawn Mist and Pebble Taupe) with Courtstone (Basalt) accent WALL: Lineo" Dimensional Stone (Granite Blend) with Lineo Dimensional Stone (Granite Blend) accent and Natural Stone (Stone Cliff Grey) coping

воттом

PAVER: Richcliff (Dawn Mist and Pebble Taupe) with Courtstone (Basalt) accent WALL: Rivercrest* Wall (Coastal Slate) with Ledgestone™ (Grey) coping and pillar cap



TOP

PAVER: Brussels Block* (Sandstone) with II Campo* (Heritage Brown) and Series 3000* (Onyx Black) accents

GRILL ISLAND, SEAT WALLS AND FIREPLACE:
Brussels Dimensional Stone' (Sandstone)
with Sories 7000 (Only Plack) and

with Series 3000 (Onyx Black) and Brussels Fullnose™ (Sandstone) coping and ledge accent

PILLARS: Brussels Dimensional Stone (Sandstone) with II Campo (Heritage Brown) and Series 3000 (Onyx Black) accents and Ledgestone™ (Buff) pillar caps

BOTTOM


Rivercrest* Wall (Coastal Slate) with Natural Stone coping

OPPOSITE

PAVER: Artline™ (Steel Mountain) with Town Hall* (Basalt) accent and Ledgestone (Buff) coping

GRILL ISLAND, WATER FEATURE AND STEPS: Lineo™ Dimensional Stone (Sierra) SEAT WALL: Lineo Dimensional Stone (Sierra) with Ledgestone (Buff) coping and pillar cap







LEFT

Copthorne" (3 Color Blend) with Brussels Block" (Sandstone) accent


RIGHT

Artline™ (Steel Mountain) with Series 3000* (Onyx Black) accent

OPPOSITE
Thornbury™ (Alpine Grey) with Town Hall™
(Basalt) accent











BEST IN SHOW

PAVER:Umbriano" (Winter Marvel) with
Umbriano (Midnight Sky) accent

GRILL ISLAND, PILLARS, SEAT WALLS, FIREPIT AND WATER FEATURE: Rivercrest* Wall (Coastal Slate) with Natural Stone (Black River) coping









LEARN

LOOK BEYOND THE SURFACE


There's more to a successful project than simply what you see on the finished surface. The construction of the base, the technology that goes into the products you choose and the steps you take to care for your new outdoor space, all influence whether or not a project will continue to look great for years to come.

PRODUCT QUALITY

CARE AND MAINTENANCE

CONSTRUCTION 101

The long-term performance of your project is determined by the **quality of the work** that's done to prepare the base **below** your pavers and walls.



A proper base will ensure that your pavers and walls won't settle or shift out of place with freeze-thaw cycles.

EXCAVATION

The first step in any project is excavation of grass and topsoil.

The depth will depend on two factors:

- | **Soil Type** Clay soil requires deeper excavation; sandy soil requires less.
- Use Heavy loads like driveways and retaining walls require deeper excavation; lighter loads like patios and walkways require less.

GRAVEL BASE

The excavated area will be filled with a **base gravel.** This gravel base needs to be:

- Strong enough to handle the load of whatever is placed on the surface.
- Free draining so that water drains out of the base into the subsoil.
- | Extended at least six inches beyond the edges of the finished paver surface.
- Compacted in several layers, using the proper equipment.





BEDDING MATERIAL

The right bedding material installed at the right depth is vital to the performance of your pavement. It provides a nice smooth surface for laying pavers and allows water to quickly drain away from the surface.



EDGE RESTRAINT

An edge restraint secured with long metal spikes will prevent the perimeter pavers from drifting away from the edge.



JOINT MATERIAL

Joint material plays an important role in further locking the pavers in place, as well as keeping weeds and other debris out. There are several types of joint material to choose from. For more information on the various types, turn to page 64.



REMEMBER A quality project is built upon a solid foundation. For this reason, we recommend hiring a professional contractor.



PERMEABLE PROJECTS A GREENER CHOICE!

More and more homeowners are installing **PERMEABLE** paver projects to help direct rainfall away from storm sewer systems and back into the natural ecosystem. The pavers used in a permeable installation look very similar to traditional pavers, but are made with extra space between them so rainwater can flow back into the earth below, instead of running off the surface into storm sewers.

Special materials are used in the permeable base and joints to encourage water to flow through. Unilock* permeable paver choices can be found on pages 76, 90 and 102.



INTERESTING FACT Some homeowners install rainwater collection systems underneath their paver projects to supply water to inground sprinkler systems!

PAVER CONSTRUCTION




Brussels Block* - Tumbled Finish

GOOD STANDARD THRU-MIX

This is how the first pavers were manufactured. The product mix of large and small aggregates is consistent, from top to bottom, with color mixed throughout. The Unilock* **Classic** pavers we manufacture exceed all ASTM standards for quality and strength. They're available in traditional paver shapes and a variety of textures including smooth, dimpled or tumbled. Find them, beginning on page 98.

The majority of the project budget is base materials and labor.



Choosing a premium paver or wall product won't drastically impact the overall project cost.

Upgrading to EnduraColor or EnduraColor Plus could have less impact on the overall project price than you may think. Don't settle for older technology without understanding what today's best products have to offer.

ENDURACOLOR



Profile View

BETTER FACEMIX

Facemix products are manufactured in a two-step process which combines a base of coarser aggregates for a stronger foundation, with concentrated color and wear-resistant finer aggregates on top. Facemix products are highly resistant to fading because the top layer prevents large, lighter color aggregates from showing through. This is the manufacturing process for Unilock EnduraColor products you'll find beginning on page 84.







Only Unilock offers EnduraColor™ Plus Architectural Finishes, a collection of products that deliver long-lasting beauty through a proprietary blend of exclusive and superior ingredients. A complex blend of granite and quartz, some of nature's highest performing minerals, are combined to create ultra-realistic surface textures and unique style options that are exceptionally durable. Proprietary manufacturing technologies like Ultima™, EasyClean™, ColorFusion™ and Reala™ give these products added benefits in terms of beauty and function. You'll find these exclusive Unilock products beginning on page 68.

A NEW STANDARD FOR EVERLASTING BEAUTY.

PRODUCT QUALITY

Many products will look great when they're first installed, but in time, the difference in quality shows. All products are NOT created equal!

Installed with the proper construction methods, the longevity of your project relies on the quality of the paver and wall products you choose.



COLOR

Deep, rich color choices and natural color blends are characteristics that make Unilock® products unique. Our synthetic iron oxide pigments are weatherproof, UV resistant and outperform natural counterparts.

STRENGTH

The compressive strength of Unilock pavers and walls exceeds industry standards and ranges from 7,000 psi on small wall products, to more than 12,000 psi on some pavers.

DIMENSIONAL TOLERANCE

Dimensional tolerance is something we pay close attention to because when pavers are consistent in size, they require less adjustment when installed. This can mean significant labor cost savings, and a speedier delivery of your finished project.

DURABILITY

All Unilock pavers and walls are backed by our lifetime guarantee. They are slip-resistant and designed to tolerate oil and gas spills. As well, they're resistant to salt and chlorine erosion.

PROPRIETARY UNILOCK TECHNOLOGIES

EXTRA STRENGTH



Ultima™ Concrete Technology

A proprietary manufacturing process that creates pavers and walls with up to four times the strength of poured concrete. Find Unilock products featuring Ultima on pages 70-71 and 74-79.

THE LOOK OF GRANITE



ColorFusion™ Technology

A proprietary technology that disperses color randomly to achieve the look of natural granite. Find Unilock products featuring ColorFusion on page 68.

NATURAL STONE TEXTURE 📦



Reala[™] Technology

Ultra realistic textures are cast from natural stone, brick and historic cobblestones. Find Unilock products featuring Reala on pages 70-71, 74-79, 96-97, 108 and 117.

STAIN RESISTANCE 🔆



EasyClean™ Stain Resistance

An integral surface protection that allows for easier cleanup of spills when they happen, before a stain can develop.

There are two Clean Factors (CF®) to choose from:

CLEAN FACTORS (CF)	CF 90	CF 100
Pavers are pre-sealed at the factory	*	*
Enhanced resistance to weathering	*	*
Reduced dirt absorption	*	**
Stains from leaves, coffee, ketchup, mustard, wine and BBQ oils are easier to remove	*	**

Look for EasyClean in Umbriano® CF 90 (page 68), Senzo[™] **CF 100** (page 72), Arcana **CF 100** (page 82), Soreno CF 100 (page 83), Bristol Valley CF 90 (page 84) and Artline™ CF 90 (page 86).



A SOLID FOUNDATION PREVENTS SETTLING

When the base of your project is properly constructed, water will not accumulate underneath and settling will not occur. See page 48 for more information on proper construction. **Need help finding a qualified contractor?** Call us at **1-800-UNILOCK** or register online at **Unilock.com** and we'll match you with a Unilock* Authorized Contractor in your area.

TO SEAL OR NOT TO SEAL

Some homeowners choose to apply a sealer to their project surface when it's finished, to enhance the color of their pavers. Others choose to appreciate the color of the pavers as they are. Unilock pavers will be durable with or without a sealer. If you choose to seal you should plan to re-seal every three to five years.

HOW TO KEEP YOUR PROJECT LOOKING GREAT FOR DECADES.

WEEDS CAN BE PREVENTED

When a proper base is installed, there is no soil directly beneath your pavers from which weeds can grow. However, if the joints are not kept full with jointing material, it is possible for dirt and weed seeds to blow in from the surrounding area and germinate in the joints.

In the past - a basic sand was the only jointing material available. Unless this sand was replenished regularly, rain would erode the sand, leaving joints vulnerable to weeds.

Today - new varieties of sand stabilizer compounds and polymeric jointing material are available which **relieve homeowners from this maintenance burden.** See page 64 for more information on jointing material choices.

WINTER CARE

Paver projects offer a clear advantage over poured-in-place concrete when it comes to weathering the four seasons. Installed right, your paver project will be built to withstand freeze-thaw cycles, so unlike concrete, it will never crack. As well, Unilock pavers are **resistant to de-icing salt.** To avoid damaging the surface of finer paving stones, we recommend using a plastic bladed hand shovel or adding a plastic cover to the blades of snow removal machines.


When a proper base is installed, there is no soil directly beneath your pavers from which weeds can grow.




INTERESTING FACT A permeable paver will accumulate less ice because water will drain from the paver surface before it has time to freeze. For more information on permeable paving, see Page 49.


THE CHOICE OF DESIGN PROFESSIONALS

The same Unilock products available to homeowners are relied on by architects, landscape architects and engineers, to create world class commercial spaces across North America.













PLAN

TURNING YOUR DREAM INTO REALITY

If you've never undertaken an outdoor landscaping project before, it can feel overwhelming. We're here to help. The pages in this section are designed to help you plan for a successful project:

CHOOSING A CONTRACTOR

DESIGN CONSIDERATIONS

CHOOSING PRODUCTS

PROJECT MANAGEMENT TIPS

CHOOSING A CONTRACTOR

Choosing the right contractor for your project is the most **important decision** of all because even the best materials can be spoiled by poor installation and workmanship.



RELEVANT EXPERIENCE

- ☐ How long has the contractor been installing pavers and walls?
- ☐ Has the contractor installed projects in the past with the features you're considering (e.g. a raised patio, retaining wall, fire feature, grill island or water feature)? If so, can they provide photos?

WORKMANSHIP

Ideally, a contractor will provide you with the addresses of projects the company has completed in the past. When you visit the job, **pay attention** to the details.

- Ask to see projects that are more than two years old so you can see how the work holds up over time.
- ☐ Are the pavers laid in a way that minimizes awkward cuts?
- ☐ Check the curves of the project to be sure pavers are placed or cut in a way that minimizes large gaps.
- ☐ Has edge restraint been used and is it still in place?
- ☐ How long does the contractor guarantee the work?
- ☐ How many warranty claims has the company had in the past two years?

SUB-CONTRACTING

Some contractors will hire other companies to perform parts of the work, like lighting and irrigation. Be sure to ask the contractor about these sub-contractors and how they will be managed.



HAVING TROUBLE FINDING A CONTRACTOR?

Contact us at **1-800-UNILOCK** or register online at **Unilock.com** to take advantage of our Unilock* Authorized Contractor referral program. We'll take the time to understand your project, and will match you with a local contractor who is guaranteed to do the job right.

BASE PREPARATION

The longevity of your project relies on proper base preparation (see page 48 for more information on Construction 101).

_						
	\//ba+ aka	+6000	~ + u ~ ~ + ~ u'~	h	preparation	20 ath a da2
	vvnai are	1000	niraciors	nase	Drebaration	THEILICHER

■ What materials are u	ised and	whv?
------------------------	----------	------

☐ Is there a standard procedure for base preparation or will the contractor assess your site's unique needs?

TIMING

Some of the very best contractors book their schedules months in advance.

Ask the	contractor	how far in	advance	they	are	booking	proje	cts
and hov	v lona thev	think your	project r	niaht	tak	e.		

What is the contractor's payment tern	ns?
---------------------------------------	-----

☐ Is an **upfront deposit** required to secure the timing of the project?

DOCUMENTATION

☐ Does the contractor have the proper licensing for their work?



☐ Will there be permits required for the job and if so, who is responsible to secure them?

COMPATIBILITY

☐ Do you like this contractor?

☐ Can you easily communicate and understand each other?

☐ Is this someone you can trust?

Ask if the person you're meeting will be on site throughout the project or if someone else in the company will be your day-to-day contact person.

☐ Contacting **references** can help you understand how the contractor operates throughout a project.





DESIGN

A contractor's portfolio of prior work can give you a great sense of their design approach.

☐ Does the contractor offer a design service?

☐ Is there a cost for this?

☐ If a design service is offered, is the design hand drawn or rendered in 3D?

☐ Are the contractor's designs something you would like for your project?

references
can help you
understand
how the
contractor
operates
throughout
a project.

DESIGN CONSIDERATIONS

OUTDOOR LIVING

EXPAND YOUR HOME

A new outdoor living space can **add functional square footage** to your existing home by providing a new space to relax, dine and entertain. Consider first how you would like to use the space and then design it as an extension of your interior decorating style.

OUTDOOR ROOMS

Distinct areas for **cooking, eating and relaxing** can be created, even in a small space, by changing the color or style of paver or by adding a contrasting paver border to define the different spaces. Using pavers to create an area rug can help visually ground furniture groupings. In a larger space, vertical elements like steps, low walls and pillars can be used to create the feeling of 'rooms'.



SEAT WALLS

Outdoor furniture is often over-sized relative to indoor furniture so be sure to design your patio with these generous proportions in mind. For smaller spaces or families who like to entertain, **seat walls** are a great solution for creating extra places for people to sit without the need for bulky furniture.

EXTEND THE SEASON

Fire features are growing in popularity because they add visual interest and warmth that makes the space more enjoyable to use in cooler weather. Building lighting into low walls, steps and pillars can also draw people outside in the evening, and add visual appeal from inside the home.







Be sure to choose a color that won't absorb too much heat from the summer sun.

POOL DECKS

SIZE MATTERS

When planning your pool deck **four feet is the minimum perimeter** around the pool for basic access. However, if you intend to use the pool deck as a patio for entertaining or sunbathing, consider a larger size and be sure to factor in the size of your outdoor furniture.


SAFETY CONSIDERATIONS

The paver you choose to surround your pool deserves special consideration because you'll be walking on it in your bare feet! Be sure to choose a color that won't absorb too much heat from the summer sun. A smoother surface is pleasing to walk on, but make sure it's sufficiently non-slip. Umbriano* is our most popular choice for pool decks; see page 68 for more details. For the coping around the edge of the pool, avoid products with abrasive edges. A contrasting coping color or inset border is something to consider, as it helps define the pool edge. Likewise, appropriate lighting is an important safety consideration. Use lighting to illuminate your pool for night swimming and to define pool edges and steps for greater safety.

AMPLIFY THE DRAMA

Even a standard pool shape can become a dramatic focal point for your outdoor space if you add vertical elements like **low walls, planter boxes and water features.** Likewise, an ordinary hot tub can be transformed into a dramatic visual feature by surrounding it with stone elements so that it appears custom built.





DRIVEWAYS

CURB APPEAL

A paver driveway is **an investment that adds instant curb appeal** and value to your home. When choosing a paver product it's generally a good idea to complement the main color of your home rather than to try to match it. Then, consider borders and accents to draw out specific colors from your home and create continuity. Consider adding vertical features like pillars, planters and decorative walls to further enhance the beauty of your driveway.

PRACTICAL DESIGN

Be sure to consider how guests will get from your driveway to your front door. If your driveway abuts a wall, slope or garden, add an extra four feet to the width so that car doors can be comfortably opened for passengers to exit. If your winter season brings snow, consider where you will pile it. And be sure to choose a paver that can withstand de-icing salts (all Unilock* pavers do!).

THINK GREEN

Permeable pavers **allow rainwater to flow between the joints** and through special base materials so that it can be absorbed into the subsoil below. This provides a dual "green" benefit; not only does it reduce the amount of water that flows into storm sewers but it also provides moisture to surrounding plant material. **Reduced puddling** on the driveway surface also means that there is **less ice build-up** in winter months. Look for Unilock permeable pavers on pages 76, 90 and 102.





ENTRANCES

WELCOME GUESTS

A great looking front entrance gives guests a warm welcome. Attractive steps that are wide enough to easily navigate, **low garden walls and planter boxes** to frame softscaping, and smartly placed lighting all contribute to a cozy feeling and will help smooth the transition from the street to your home. As a general rule, a walkway should never be less than four feet in width.

A PLACE TO SIT

Even a modest front yard can usually accommodate a small courtyard seating space, where a morning coffee can be enjoyed or parents can observe their children playing with neighborhood friends.

BORDERS AND BANDING

Like crown molding that is the finishing touch to a room, smartly planned borders and banding can elevate your project from good to great. Unilock* pioneered the idea of borders and banding in pavers and walls and we continue to have the most unique options to make your project stand out.

See pages 128 and 129 for more Unilock borders and banding ideas, or visit Unilock.com to experiment with our online Uvision® borders and banding tool.











NEED MORE DESIGN IDEAS? VISIT A UNILOCK OUTDOOR IDEA CENTER

SEE


An expansive display of Unilock' products in a life-size outdoor setting.

TALK To our **knowledgeable staff** and we'll help you select the products to achieve the outdoor space you're dreaming about.

TAKE FREE samples of Unilock paver and wall products home with you.

Please feel free to walk around and browse our Outdoor Idea Center at any time. Call ahead for staffed hours. Call 1-800-UNILOCK or visit Unilock.com for more details.

301 E. Sullivan Rd. Aurora, IL 60505



VISUALIZING YOUR PROJECT DESIGN

A detailed design requires a great deal of time and effort, so you can understand why many contractors charge for this service in advance.

TRADITIONALLY, LANDSCAPE DESIGNS WERE HAND DRAWN TO SCALE ON GRAPH PAPER.

While there are many contractors and designers who still prefer to draw by hand, more and more plans today are being created digitally and in 3D.

If you're having trouble imagining what your project will look like when it's complete, a 3D design can really help.



Contact us at **1-800-UNILOCK** or register online at **Unilock.com** to take advantage of our Unilock* Authorized Contractor referral program. We'll take the time to understand your project, and will match you with a local contractor who offers a 3D design service and is guaranteed to do the job right.



3D Rendering



Completed Job



CHOOSING PRODUCTS

PAVERS

The horizontal paved surface is typically the largest area of the project, so it makes sense to begin here.

COLOR - Co-ordinate or contrast with the color of your home.

STYLE - Use the architecture of your house as a starting point and determine whether you're looking for something traditional, modern, rustic or historic.

FUNCTION - A driveway paver needs to be thicker than a patio paver to hold the weight of a vehicle. A pool deck paver needs to be non-slip and cool to walk on in the heat of summer. A paver for an outdoor kitchen needs to be easy to clean. Make sure the paver you choose is right for your project.





WALLS

FUNCTION - Only certain wall products can be used as retaining walls, and very large retaining walls require more specialized products. Seat walls need to be attractive from both sides, while one-sided products can be used to build a fireplace. Make sure the wall product you choose is right for your project. Your contractor can help.

COLOR - Co-ordinate or contrast with the color of the pavers you choose.

STYLE - Consider the style of the pavers you've chosen and determine whether you're looking for something traditional, modern, rustic or historic.





JOINTING MATERIAL

There are three types of jointing materials to choose from. They vary in durability and cost. Visit **Unilock.com** to see which materials are suited to the product you choose. Your contractor can also help you decide which type is right for your project.

Basic Jointing Sand - To reduce the frequency with which you need to replenish this sand, a joint stabilizing sealer is recommended.

Polymeric Sand - This is a special sand combined with a binding agent which stays in place longer than basic jointing sand. However, it's not right for every project and needs to be installed with care to prevent hazing on finer surfaces.

Unilock* **EasyPro**™ - This is the ultimate joint compound for paving stones. It's a no-haze, epoxy resin product that is puncture resistant, permeable and eco-friendly (made with 60% renewable products). It's perfect for wide joints but not recommended for all applications.












THE BEST WAY TO PREVENT WEED GROWTH IS TO ENSURE THAT JOINTS REMAIN FULL OF A SOLID JOINTING COMPOUND.

COLOR - The color of the jointing material can make a big difference in the look of your finished project.







BLACK SAND

TAN SAND

GREY SAND

PROJECT MANAGEMENT TIPS

1 BUDGET

If your project is large or budget is a concern, you may choose to ask your contractor to provide **good/better/best versions** of the project, perhaps a budget that phases your project into several stages or one that offers special features such as a fireplace or pergola as a separate add-on option. Some contractors can even offer **financing** so you don't have to pay for your project right away. Once you decide how you want to proceed, be sure to get a signed contract that reflects this agreed budget and the contractor's payment terms.

2 | TIMELINE

Be sure to tell your contractor if there are any times that workers cannot be on the site and whether there is a **deadline** by which the project absolutely must be completed. Rainy weather sometimes impacts the timing of projects, so be sure to understand what happens in the event of a delay.

3 | WAYS OF WORKING

Your contractor's crew will be on your property on a daily basis. Be sure to agree to **ground rules** before the project begins. What time will work begin and end each day? What is their daily clean up routine? Where will products and equipment be stored on the site? Will the team work weekends? Will they require access to your home or garage during the project?



4 | BEING NEIGHBORLY

It's generally a good idea to let your immediate neighbors know about your project in advance so they can prepare themselves for a bit of noise and dust. You may even consider a small token of thanks for their understanding; it could go a long way to making them more forgiving of any disruption your project may cause.

5 | COMMUNICATION

Throughout your project make sure you and your contractor have open lines of communication. Establish in advance **who to contact if you have concerns** and how often you'd like your contractor to provide you with updates. If you notice something that doesn't look right on your project, be sure to let your contractor know right away. If a correction needs to be made, it's better to make the change early on.

6 | CHANGES

Unfortunately, even the best managed projects occasionally run into unplanned circumstances or last minute design changes. Be sure to understand the contractor's procedure for handling these changes and how they will affect the final price of your project.

7 | PROJECT WRAP UP


Once you've done a final inspection of your completed project, if you're happy with the work, be sure to **recommend your contractor** to friends and neighbors. If you can, write a favorable online review. And don't forget to **register for your Unilock' product warranty at Unilock.com!**

Don't forget to **register** for your Unilock product warranty at **Unilock.com!**











SELECT

CHOOSING THE PERFECT PRODUCT


Choose from our vast array of styles - everything from pavers cast from actual cobblestones found in historic European village streets, to the sleek modern lines and random color dispersion of granite-like slabs.

ENDURACOLOR™ PLUS
ARCHITECTURAL FINISHES
ENDURACOLOR™

CLASSIC


PERMEABLE

VERTICAL DIMENSIONS



UMBRIANO°

The random dispersion of color and granite particles creates the beauty of Umbriano's unique mottled surface, which resembles the appearance of natural granite. Umbriano's non-slip, stain-resistant surface is an ideal selection for driveways, pool decks, patios, commercial plazas and offices.



NOTE: Umbriano 24" and Random Bundle pavers are not suitable for vehicular applications.

SPECIAL ORDER SIZES: Umbriano is also available in 36×36 " (10cm), 18×36 " (10cm) and 12×36 " (10cm) by special order only.



EASYCLEAN™ STAIN RESISTANCE - CF 90

An integral surface protection that allows for easier cleanup of spills when they happen, before a stain can develop.

COLORFUSION™ **TECHNOLOGY**

A proprietary technology that disperses color randomly to achieve the look of natural granite.





Patterns may not reflect bundle configurations. More laying patterns available at Unilock.com.



RICHCLIFF

The modern, yet elegant, look of Richcliff will add a touch of class to any landscaping project. Its realistic embossed surface texture is cast from hundreds of natural stone surface textures to ensure a random natural appearance and it is up to four times stronger than ordinary poured concrete, making it an ideal choice for any application.



LARGE RECTANGLE 12 x 9 x 2¾" 30 x 22.6 x 6cm



SQUARE 9 x 9 x 23/8" 22.6 x 22.6 x 6cm



SMALL RECTANGLE 6 x 9 x 2³/₈" 15 x 22.6 x 6cm

RANDOM BUNDLE



REALA™ TECHNOLOGY

Ultra realistic textures are cast from natural stone, brick and historic cobblestones.

ULTIMA™ CONCRETE TECHNOLOGY

A proprietary manufacturing process that creates pavers and walls with up to four times the strength of poured concrete.





Patterns may not reflect bundle configurations. More laying patterns available at Unilock.com.



SENZO[™]

The unique colors and large size format make Senzo well-suited to contemporary designs, while the 8 x 8" size works well as accent banding in a wide variety of projects. The non-slip, stain-resistant surface is an excellent choice for driveways, outdoor kitchens, patios, pool decks, walkways and more.



16 x 16 x 2³/₄" 40 x 40 x 7cm



8 x 16 x 2³/₄" 20 x 40 x 7cm




8 x 8 x 2¾" 20 x 20 x 7cm



EASYCLEAN™ STAIN RESISTANCE - CF 100

An integral surface protection that allows for easier cleanup of spills when they happen, before a stain can develop.





Patterns may not reflect bundle configurations. More laying patterns available at Unilock.com.

73



COURTSTONE®

Bring a sense of old-world Europe to your design with Courtstone. The unsurpassed strength and realistic texture create an everlasting product which is ideal for driveways and accents.



XL RECTANGLE 51/8 x 83/8 x 23/8" 13 x 21.5 x 6cm



LARGE RECTANGLE 51/8 x 71/4 x 23/8" 13 x 18.5 x 6cm



RECTANGLE 51/8 x 61/2 x 23/8" 13 x 16.5 x 6cm



SMALL RECTANGLE 51/8 x 53/4 x 23/8" 13 x 14.5 x 6cm



SQUARE 51/8 x 51/8 x 23/8" 13 x 13 x 6cm

RANDOM BUNDLE - ALL UNITS



REALA™ TECHNOLOGY

Ultra realistic textures are cast from natural stone, brick and historic cobblestones.

ULTIMA™ CONCRETE TECHNOLOGY

A proprietary manufacturing process that creates pavers and walls with up to four times the strength of poured concrete.







BELGIAN BLUE






BASALT / BELGIAN BLUE BLENDED ON SITE









DAWN MIST

DAWN MIST / PEBBLE TAUPE BLENDED ON SITE

LAYING PATTERN - RANDOM BUNDLE

Patterns may not reflect bundle configurations. More information available at Unilock.com.



TOWN HALL®

With more substantial proportions than Copthorne*, Town Hall is cast from original brick street pavers and offers a distressed, time-worn appearance. As well, with demand increasing for permeable pavers, Town Hall has been designed to satisfy both traditional and permeable installation methods.







Town Hall can be used in **permeable** or non-permeable installations.

REALA™ TECHNOLOGY

Ultra realistic textures are cast from natural stone, brick and historic cobblestones.

ULTIMA™ CONCRETE TECHNOLOGY

A proprietary manufacturing process that creates pavers and walls with up to four times the strength of poured concrete.





BURNT CLAY












OLD OAK





HERITAGE RED

HERITAGE 2 COLOR BLEND BLENDED ON SITE

A - 100% Standard

B - 100% Standard

More laying patterns available at Unilock.com.

77



COPTHORNE

Reminiscent of the brick pavers used in old European cities, towns and villages, Copthorne is crafted using a special forming process, each piece is uniquely altered, yet the dimensions are consistent for easy, efficient installation.



STANDARD 2½ x 7½ x 2¾" 6.5 x 20 x 6cm




REALA™ TECHNOLOGY

Ultra realistic textures are cast from natural stone, brick and historic cobblestones.

ULTIMA™ CONCRETE TECHNOLOGY

A proprietary manufacturing process that creates pavers and walls with up to four times the strength of poured concrete.





More laying patterns available at Unilock.com.

79



SERIES 3000°

A sophisticated paver with a high-performance surface made from a combination of granite and quartz aggregates. Perfect for residential or commercial driveways, walkways and patios.





TRIBECA COBBLE

NEW FOR 2017

Tribeca Cobble pavers have the look of the beautiful imported granite cobble stones used in North America's streets for centuries. A natural cobble appearance, dimensional accuracy, along with an EnduraColor Plus finish, makes Tribeca an excellent choice for your project.





COBALT GREY

CRYSTALLINE BASALT

PEPPERED GRANITE

Laying patterns available at Unilock.com.



RANDOM BUNDLE

LARGE RECTANGLE 51/8 x 12 x 23/1" 13 x 30.5 x 7cm





SMALL RECTANGLE 51/8 × 7 × 23/4" 13 × 17.5 × 7cm





ARCANA

NEW FOR 2017

Granite, quartz and marble are exposed in the fine blasted surface of these large format slabs to deliver brilliant color and a non-slip surface. The silky, matte appearance of Arcana is further enhanced with EasyClean Stain Resistance for easier cleanup of spills.





VIVANTO MODENA







11% x 23% x 2"



ENDURACOLOR

An integral surface protection that allows for easier cleanup of spills when they happen, before a stain can develop.

23% x 23% x 2" 61 x 61 x 5cm

17% x 23% x 2" 45 x 61 x 5cm

30 x 61 x 5cm



SORENO

NEW FOR 2017

The sleek, modern look and fine stone structure of Soreno paving slabs are on trend with today's designs. Available in a variety of large format shapes, Soreno also offers EasyClean Stain Resistance.





SLATE GREY TOSCANA BEIGE






17% x 23% x 2"

45 x 61 x 5cm



11% x 23% x 2" 30 x 61 x 5cm




LIGHT GRANITE

NOTE: Soreno pavers are not suitable for vehicular applications.



EASYCLEAN™ STAIN RESISTANCE - CF 100

An integral surface protection that allows for easier cleanup of spills when they happen, before a stain can develop.



BRISTOL VALLEY°

Moderate surface texture brings a new, refined elegance where a more commonplace flagstone slab may have been used in the past. Subtle color blends add to an appearance of natural stone. offers EasyClean Stain Resistance for a refined paver surface that is resistant to stains.



8CM THICKNESS IS AVAILABLE AS SPECIAL ORDER.

NOTE: Bristol Valley 6cm pavers are not suitable for vehicular applications.

ENDURACOLOR'

EASYCLEAN™ STAIN RESISTANCE - CF 90

An integral surface protection that allows for easier cleanup of spills when they happen, before a stain can develop.













STEEL MOUNTAIN

COPPER RIDGE





A - 40% Large Rec., 40% Square, 20% Small Rec.


B - 40% Large Rec., 40% Square, 20% Small Rec..

Patterns may not reflect bundle configurations. More laying patterns available at Unilock.com.



ARTLINE[™]

The long, clean lines of new Artline reflects an emerging trend to minimalist, modern outdoor designs. Look for Artline in an exclusive number of colors and textures that can be used separately or combined together to create graphic interest.



NOTE: Antique, Smooth and Umbriano* finishes offer EasyClean Stain Resistance.

ENDURACOLOR

EASYCLEAN™ STAIN RESISTANCE - CF 90

An integral surface protection that allows for easier cleanup of spills when they happen, before a stain can develop.









STEEL MOUNTAIN









Laying patterns available at Unilock.com.

BAVARIAN BLEND

COPPER RIDGE

COPPER RIDGE



BEACON HILL FLAGSTONE

Soft blended colors and subtle surface design give Beacon Hill Flagstone a natural appearance with a relaxed historic look and feel.



8CM THICKNESS IS AVAILABLE IN BAVARIAN BLEND, ALL OTHER COLORS AVAILABLE AS SPECIAL ORDER.

NOTE: Bristol Valley 6cm pavers are not suitable for vehicular applications.













SYCAMORE

BAVARIAN BLEND AVAILABLE IN BOTH 6CM & 8CM




ALPINE GREY



A - 40% Large Rec., 40% Square, 20% Small Rec.

B - 40% Large Rec., 40% Square, 20% Small Rec.

Patterns may not reflect bundle configurations. More laying patterns available at Unilock.com.



THORNBURY

Gentle surface clefts and clean edges give an elegant and relaxed look. Varying stone sizes, provide a classic flagstone appearance for both traditional or modern landscapes.







BAVARIAN BLEND

ALPINE GREY

Laying patterns available at Unilock.com.






SMALL RECTANGLE 6% × 8% × 2%" 17.3 × 21 × 7cm

RANDOM BUNDLE

ENDURACOLOR





MATTONI

NEW FOR 2017

Mattoni reinterprets classic Roman brick with a modern spin. Available in a palette of deep, natural colors, the slim format is ideal for curved garden paths, authentic country gardens and classic herringbone patterns.







COCOA BROWN

DARK CHARCOAL

SABLE BLEND

Laying patterns available at Unilock.com.







IL CAMPO®

Exclusive to Unilock*, Il Campo features irregular lines brushed across each paver. Its detailed look is striking, and gives you the ability to create unique geometric and random patterns.



BAVARIAN BLEND



COFFEE CREEK



HERITAGE BROWN



OAKWOOD AVAILABLE IN 4 X 8" ONLY



ARTLINE SIZE - BAVARIAN See page 86 for more information.



ARTLINE SIZE - GRANITE
See page 86 for more information.
Laying patterns available
at Unilock.com.



12 x 12 x 2¾" 30 x 30 x 7cm



6 x 12 x 2¾" 15 x 30 x 7cm



4 x 8 x 2¾" 10 x 20 x 7cm



6 x 8 x 2¾" 15 x 20 x 7cm RANDOM BUNDLE



6 x 6 x 2¾" 15 x 15 x 7cm



4 x 6 x 2¾" 10 x 15 x 7cm






AVANTE ASHLAR

This unique design incorporates several random shapes into one module, giving you a natural stone appearance that is quick and easy to install.





ALMOND GROVE

SHADOW CREEK

Patterns may not reflect bundle configurations. More laying patterns

available at Unilock.com.











UNIT A 11½ x 19 x 2¾" 29 x 48.5 x 7cm


11½ x 19 x 2¾" 29 x 48.5 x 7cm

11½ x 19 x 2¾" 29 x 48.5 x 7cm

11½ x 19 x 2¾" 29 x 48.5 x 7cm

RANDOM BUNDLE





BRUSSELS PREMIER

Brussels Premier has all the features and relaxed appearance of our time-tested Brussels Block® with the added strength and durability of Unilock's exclusive EnduraColor™ technology.







BAVARIAN BLEND

ALPINE GREY

Laying patterns available at Unilock.com.



XL STONE 8½ x 13¾ x 2¾" 20.8 x 34.8 x 7cm



STANDARD STONE 61/8 x 81/4 x 23/4" 17.5 x 20.8 x 7cm



HALF STONE 41/8 x 67/8 x 23/4" 10.4 x 17.5 x 7cm





HOLLAND PREMIER

An excellent choice for both residential and commercial installations. Its color-fastness comes from a specialized face-mix which is molded into the surface of the stone.











BROWN

CHARLESTON

GRANITE BLEND

HERITAGE BROWN

RIVER

SIERRA

Laying patterns available at *Unilock.com*.



STANDARD 4 x 8 x 23/8" 10 x 20 x 6cm

ENDURACOLOR



RIVENSTONE

Available in two nature inspired shades, Rivenstone combines the durability of concrete with the character and flexibility of natural stone.





BLUESTONE CANYON

SAHARA NEW FOR 2017

Laying patterns available at Unilock.com.

STONEMARK



REALA™ TECHNOLOGY

Ultra realistic textures are cast from natural stone, brick and historic cobblestones.

NOTE: Rivenstone is not suitable for vehicular applications.




YORKSTONE[™]

Blends the time-tested charm of natural fossilized flagstone with the durability and consistency of concrete. Earthy color tones result in a product that is rich in both appearance and character.





 $\label{NOTE: NOTE: Yorkstone} \textbf{NOTE: Yorkstone is not suitable for vehicular applications.}$



K - 47% 24 x 24", 18% 18 x 24", 35% 12 x 24" More laying patterns available at Unilock.com.

STONEMARK

REALA™ TECHNOLOGY

Ultra realistic textures are cast from natural stone, brick and historic cobblestones.



BRUSSELS BLOCK®

Introduced to North America by Unilock*, Brussels Block is the original tumbled paver. Its timeless warmth, relaxed appearance and tumbled finish reflect the design cues of quarried stone.



XL STONE 81/4 x 133/4 x 23/4" 20.8 x 34.8 x 7cm



STANDARD STONE $6^{7/8} \times 8^{1/4} \times 2^{3/4}$ 17.3 x 20.8 x 7cm



HALF STONE $4\frac{1}{8} \times 6\frac{7}{8} \times 2\frac{3}{4}$ " 10.4 x 17.3 x 7cm




FULLNOSE 6 x 12 x 2¾" 15 x 30 x 7cm

CLASSIC

NOTE: More information on Brussels Fullnose and other coping options can be found on page 118 and 127.







WESTPORT

Westport features a hand-hewn stone texture and irregular sides for a natural look. It's perfect for small scale patios, walkways and projects where budget is a constraint.







GRANITE

PUEBLO

SQUARE

Laying patterns available at Unilock.com.



LARGE RECTANGLE 10 x 15 x 2¾" 25.4 x 38 x 7cm



RECTANGLE 5 x 10 x 2¾" 12.7 x 25.4 x 7cm

RANDOM BUNDLE

CLASSIC

SIERRA





CAMELOT[™]

Camelot pavers are perfect for heavy traffic areas or wide and expansive courtyards.



AUTUMN RED



CHARCOAL AVAILABLE IN RECTANGLE ONLY



FIELDSTONE



SIERRA



RECTANGLE 9½ × 6¼ × 3½" 24 × 16 × 8cm



SQUARE 64 x 64 x 31/8" 16 x 16 x 8cm

CLASSIC

OLDE GREENWICH COBBLE®

A flexible paver system boasting rounded corners and subtly indented chamfers.



AUTUMN RED



RIVER



SIERRA



LARGE RECTANGLE 7 x 9½ x 2¾" 18 x 24 x 6cm



MEDIUM RECTANGLE 4¾ x 7 x 2¾" 12 x 18 x 6cm

CLASSIC

Laying patterns available at Unilock.com.

Laying patterns available at Unilock.com.

ı



ECO-PRIORA[™]

Offered in Standard and Antique finishes, Eco-Priora is the perfect solution for residential or commercial installations. Designed with special spacer bars and the resulting 7mm gap is filled with a clear, fine stone chip that allows the rapid penetration of rainwater into the sub-base and subsoil.



RIVER STANDARD FINISH



SIERRA STANDARD FINISH



RIVER ANTIQUE FINISH AVAILABLE IN 5 X 10" ONLY



SIERRA ANTIQUE FINISH AVAILABLE IN 5 X 10" ONLY

Laying patterns available at Unilock.com.



LARGE SQUARE

10 × 10 × 31/4"

24 × 24 × 8cm

AVAILABLE IN STANDARD FINISH ONLY



RECTANGLE 5 x 10 x 31/8" 12 x 24 x 8cm



your Unilock representative for more details.





HOLLANDSTONE

SIERRA

RUSTIC RED

The design flexibility, scope of color, simple rectangle shape and ease of installation contribute to Hollandstone's widespread appeal.



STANDARD 4 x 8 x 2¾"

10 x 20 x 6cm

CLASSIC





NATURAL STONE

The Unilock' commitment to uncompromising quality and lifetime guarantee, now extends to an impressive array of premium Natural Stone from Europe and Asia.



AUTUMN HARVEST SANDSTONE



STONE CLIFF GREY SANDSTONE



INDIAN COAST SANDSTONE



WINTER MIST LIMESTONE




BLACK RIVER LIMESTONE



Natural Stone from Unilock features low water absorption, excellent freeze-thaw durability and flexural strength. Precisely cut and calibrated, the stone's natural beauty is enhanced with a variety of surface treatments.

SPEAK TO YOUR CONTRACTOR OR A LOCAL UNILOCK AUTHORIZED DEALER FOR MORE INFORMATION AND AVAILABILITY. LOCKING FOR MORE INFORMATION? Contact us at 1-800-UNILOCK to receive your free Natural Stone catalog today!





PORCELAIN TILE

For special applications such as concrete overlay steps, porches, patios, balconies or roof decks, Porcelain Tile from Unilock* is a new attractive option.

ADEL CONCA

DEL CONCA US














 ${}^{\text{CRMJH}}_{\bullet} {}^{\text{CRMJH}}_{\text{A CUITURA DELLA MATERIA}}$

















GRAUSTEIN




SPEAK TO YOUR LOCAL UNILOCK TERRITORY MANAGER FOR MORE INFORMATION ABOUT SIZES AND AVAILABILITY. LOOKING FOR MORE INFORMATION? Contact us at 1-800-UNILOCK to receive your free Porcelain Tile catalog today!



LINEO DIMENSIONAL STONE

Contemporary and sleek lines with a linear multi-length plank look. Ideal for garden walls, pillars and other outdoor vertical elements, Lineo Dimensional Stone offers up modern design and exceptional flexibility. Ledgestone™ coping, Fullnose 6″ x 12″ and Natural Stone (Black River and Indian Coast) coping are perfect design partners to complete a sleek contemporary look.








For Lineo Dimensional Stone pillars we recommend using 28.5" x 28.5" pillar cap. See page 117 for color options.

28.5 x 28.5 x 4"

74 x 74 x 10cm

LINEO PILLAR CAP

For coping options we recommend using Natural Stone (page 104) or Ledgestone (page 117).










GRANITE BLEND

SANDALWOOD



SIERRA

For more information visit Unilock.com.



RIVERCREST WALL

Stacked flagstone has been used for centuries for small garden walls and pillars. With the award-winning Rivercrest Wall, you get the character and flexibility of natural stone combined with the durability and affordability of concrete.











STANDARD UNIT 1 8 x 9-10 x 21/4" 20 x 23-25 x 6cm

JUMPER UNIT 1

8 x 9-10 x 4½"

20 x 23-25 x 11.4cm

STANDARD UNIT 2 12 x 9-10 x 21/4" 31 x 23-25 x 6cm

31 x 23-25 x 11.4cm

STANDARD UNIT 3 12 x 9-10 x 21/4" 31 x 23-25 x 6cm STANDARD UNIT 4 17 x 9-10 x 21/4" 42.5 x 23-25 x 6cm

RANDOM BUNDLE









JUMPER UNIT 3 12 x 9-10 x 4½" 31 x 23-25 x 11.4cm JUMPER UNIT 4 17 x 9-10 x 4½" 42.5 x 23-25 x 11.4cm

JUMPER BUNDLE



Ultra realistic textures are cast from natural stone, brick and historic cobblestones.

In 2013, Rivercrest Wall received

quality and innovation.

reddot www.registration.pd.red-dot.de

the "red dot" award for high design

For coping options we recommend using Natural Stone (page 104) or Ledgestone (page 117).







SHORT CORNER UNIT

10 x 9-10 x 21/4"

25 x 23-25 x 6cm

BUFF



12 x 9-10 x 2¼" 31 x 23-25 x 6cm



CORNER BUNDLE

For more information visit Unilock.com.



COASTAL SLATE



JUMPER CORNER UNIT 12 x 9-10 x 4½" 31 x 23-25 x 11.4cm



RIVERCREST FIREPIT KIT See page 122 for more information.

PILLAR UNIT 20 x 20 x 4½" 50 x 50 x 11.4cm

RAPID PILLAR SYSTEM

Pillar cap sold separately.



OLDE QUARRY°

Whether your plans call for constructing a curved wall, seat wall, planters, steps, edging or even an outdoor kitchen, the look will be commanding and impressive with the antiqued finish of Olde Quarry. The flexibility of Olde Quarry makes it one of the most significant landscape design products. Available in a variety of colors, it can be matched to almost any paver project.



STANDARD/CORNER 4½ x 9 x 12" 11.5 x 23 x 30cm



COPING 12 (9) x 3 x 12" 30.5 (23) x 7.5 x 30.5cm



RANDOM BUNDLE

15" UNIT 15 (12) x 4½ x 9" 38 (30.5) x 11.5 x 23cm



12" UNIT 12 (9) x 4½ x 9" 30.5 (15) x 11.5 x 23cm




9" UNIT 9 (6) x 4½ x 9" 23 (15) x 11.5 x 23cm



We recommend using Unilock's Ledgestone coping and pillar caps (page 117) to complement this great wall system.

More coping options can be found on page 127.

NOTE: Structural retaining walls greater than 2' high require professional engineering.

















For more information visit Unilock.com.



ESTATE WALL

The unique, antique-textured finish creates the appearance of aged, natural rock. Create virtually any outdoor grill island, fireplace, seat wall, planter, step or pillar design with multiple sizes.



6" LARGE UNIT 15 (12½) x 6 x 9" 38 (32) x 15 x 23cm





6" RANDOM BUNDLE

3" LARGE UNIT 15 (12½) x 3 x 9"





6" MEDIUM UNIT 12½ (10) x 6 x 9" 32 (25) x 15 x 23cm



6" SMALL UNIT 10 (7½) x 6 x 9" 25 (19) x 15 x 23cm



6" CORNER 12½ x 6 x 9″ 32 x 15 x 23cm



COPING 12½ (9½) x 3 x 12" 32 (24) x 7.5 x 30cm



38 (32) x 7.5 x 23cm



3" MEDIUM UNIT 12½ (10) x 3 x 9" 32 (25) x 7.5 x 23cm



3" SMALL UNIT 10 (7½) x 3 x 9" 25 (19) x 7.5 x 23cm



3" CORNER 12½ x 3 x 9" 32 x 7.5 x 23cm



We recommend using Unilock's Ledgestone coping and pillar caps (page 117) to complement this great wall system.

More coping options can be found on page 127.

NOTE: Structural retaining walls greater than 2' high require professional engineering.











For more information visit Unilock.com.



FIELDSTONE



SANDSTONE



PRAIRIE



SIERRA

113



BRUSSELS DIMENSIONAL STONE®

This product mirrors the appearance of weathered natural stone. The beauty of Brussels Dimensional Stone, is its incredible flexibility to construct planter walls, steps, pillars, outdoor kitchens and many other landscape features.



STANDARD 4 x 8 x 12" 10 x 20 x 30cm



SMALL TAPERED UNIT 9 x 4 x 8" 22.9 x 10 x 20cm



We recommend using Unilock's Ledgestone[™] coping and pillar caps (page 117) to complement this great wall system.

More coping options can be found on page 127.





Square



SUNSET FIREPIT KITS

Available Colors: Coffee Creek, Sandstone and Sierra. See page 122 for more information.

NOTE: Structural retaining walls greater than 2' high require professional engineering. Small tapered unit available only in Coffee Creek, Sierra and Sandstone.











COFFEE CREEK

LIMESTONE



SANDSTONE

SIERRA

5



PISA2°

The built-in setback design automatically forms the correct slope, ensuring a highly stable retaining wall. Utilizing the product's tapered components, you can form curved walls and steps.





NEVADA

TAPERED 8 x 6 x 12" 20 x 15 x 30cm

XL WALL 16 x 6 x 12" 40 x 15 x 30cm

SIERRA



CORNER 12 x 6 x 8" 30 x 15 x 20cm 12 12 13 3

12" COPING 12 x 3 x 12" 30 x 7.5 x 30cm

NOTE: Structural retaining walls greater than 4' high require professional engineering. More coping options can be found on page 127.





LEDGESTONE STEPS & COPING

Universal coping system with a remarkably natural yet refined appearance. Featuring pitched edges, Ledgestone can be used to cap almost any Unilock* landscape wall.









PILLAR (AP 24 x 24 x 4" 61 x 61 x 10cm













(OPING UNIT 12 x 24 x 3" 30.5 x 61 x 7.5cm


CLOSED END COPING 12 x 24 x 3" 30.5 x 61 x 7.5cm

FULLNOSE COPING 12 x 24 x 1¾" 30.5 x 61 x 4.5cm

36" LEDGESTONE STEP 36 x 18 x 6" 91.4 x 45.7 x 15.2cm

48" LEDGESTONE STEP 48 x 24 x 6" 122 x 61 x 15.2cm

72" LEDGESTONE STEP 72 x 24 x 6" 183 x 61 x 15.2cm





6 x 12" FULLNOSE


An attractive coping for walls, outdoor staircases and around pools.



BRUSSELS FULLNOSE™

A tumbled version of the Fullnose 6x12" coping offers a relaxed, historic appearance.







SIENASTONE°

An attractive solution for building large outdoor staircases.



NEVADA SIERRA



(OPING/STEP UNIT 39 x 20 x 7¼" 100 x 50 x 18.5cm

For more information visit Unilock.com.

UNIGRANITE°

Manufactured with real granite chips. Hand split or saw-cut, it provides a unique accent.



DARK CHARCOAL



SMALL SQUARE 4 x 4 x 2¾" 10 x 10 x 7cm





VERTICAL FEATURES

FIREPLACES
PILLARS
GRILL ISLANDS
WATER FEATURES







FIREPLACES

Unilock* pre-built fireplaces are available to ship immediately and can be installed in a day, so you're able to enjoy a warm fire right away. The units come complete with a stainless steel firebox, pipe and metal termination cap, and are factory made so the look is consistent with the photos shown. Your satisfaction is guaranteed by Unilock.



VENTANA

The Ventana pre-built fireplace is constructed with Lineo™ Dimensional Stone (page 106).

SPECIAL ORDER



TUSCANY

The Tuscany pre-built fireplace is constructed from Brussels Dimensional Stone* (available in Sierra and Sandstone, see page 114) and Copthorne* (page 78) accents.



BARCELONA

The Barcelona pre-built fireplace is constructed from Brussels Dimensional Stone' (page 114) available in Sierra with Umbriano' (page 68) accents.



MODA

The Moda pre-built fireplace is constructed from Lineo Dimensional Stone (page 106) and Series 3000° (page 80) accent. Please call for availability.



BELLA

The Bella pre-built fireplace is constructed from Rivercrest* Wall (page 108). Please call for availability.



LOOKING FOR SOMETHING DIFFERENT? Speak to your contractor about using Unilock products to build a custom fireplace that's just right for your project.

FIREPIT KITS

RIVERCREST FIREPIT KIT This firepit kit is built with the Rivercrest* Wall. See page 108 for color options.








FIREPIT GRILL Firepit grill is included and fits securely into

the firepit.

SUNSET FIREPIT KIT This firepit kit uses Brussels Dimensional Stone*. See page 114 for color options.









FIRE FEATURES





The linear fire table above is built with Lineo Dimensional Stone (page 106).



RIVERCREST' WALL

This firepit feature is built with Rivercrest Wall (page 108) and Natural Stone coping (page 104).



RIVERCREST WALL

This unique fire table is built using Rivercrest Wall (page 108) and Ledgestone™ coping (page 117).



BRUSSELS DIMENSIONAL STONE

This firepit feature is built with Brussels Dimensional Stone (page 114) and Ledgestone coping (page 117). The accent paver used is Copthorne* (page 78).



LINEO™ DIMENSIONAL STONE

This contemporary firepit feature is built with Lineo Dimensional Stone (page 106) and Ledgestone coping (page 117).



REMEMBER To ensure a long lasting fire feature, direct exposure to extreme heat from an open flame should be avoided. Always construct fire features with a protective heat barrier such as a metal insert, refractory blocks or approved firebrick to prevent potential heat damage.



LOOKING FOR SOMETHING DIFFERENT?


Speak to your contractor about using Unilock products to build a custom fire feature that's just right for your project.

WATER FEATURES



LINEO™ DIMENSIONAL STONE

The pool-side water feature shown above is built using Lineo Dimensional Stone (page 106) and Ledgestone™ coping (page 117).



LINEO DIMENSIONAL STONE

This modern water feature is built with Lineo Dimensional Stone (page 106) and Natural Stone coping (page 104).



BRUSSELS DIMENSIONAL STONE

This water feature is built with Brussels Dimensional Stone (page 114) and Natural Stone coping (page 104). The accent paver is Town Hall (page 76).



RIVERCREST* WALL

This unique water feature is built using Rivercrest Wall (page 108) and Natural Stone coping (page 104).



LOOKING FOR SOMETHING DIFFERENT? Speak to your contractor about using Unilock products to build a custom water feature that's just right for your project.

GRILL ISLANDS



RIVERCREST* WALL

This unique grill island is built using Rivercrest Wall (page 108).



LINEO™ DIMENSIONAL STONE

This modern grill island is built using Lineo Dimensional Stone (page 106).



BRUSSELS DIMENSIONAL STONE

The grill island shown here is built with Brussels Dimensional Stone (page 114) and Ledgestone[™] coping (page 117) The accent paver used is Series 3000° (page 80).



ESTATE WALL

This multi-purpose grill island and bar table is built with Estate Wall (page 112). The accent paver is Il Campo* (page 92).



LOOKING FOR SOMETHING DIFFERENT? Speak to your contractor about using Unilock products to build a custom grill island that's just right for your project.

PILLARS



BRUSSELS DIMENSIONAL STONE

This multi-level pillar, step and wall feature is built using Brussels Dimensional Stone (page 114) and Ledgestone $^{\text{m}}$ coping and pillar cap (page 117). The accent paver used is Copthorne $^{\text{m}}$ (page 78).



LINEO™ DIMENSIONAL STONE

This modern pillar is built with Lineo Dimensional Stone (page 106) and Ledgestone coping and pillar cap (page 117). The accent paver used is Series 3000 (page 80).



RIVERCREST" PILLAR UNIT

The pillar shown above is the Rivercrest* Wall Pillar System (page 108) with Ledgestone pillar cap (page 117).



BRUSSELS DIMENSIONAL STONE

The pillar above is built with Brussels Dimensional Stone (page 114) and Ledgestone pillar cap (page 117) and Brussels Fullnose[™] (page 118) coping. Series 3000° (page 80) accent.



ESTATE WALL

This traditional pillar is built using Estate Wall (page 112) and Ledgestone pillar cap (page 117). The accent paver used is Copthorne (page 78).



LOOKING FOR SOMETHING DIFFERENT? Speak to your contractor about using Unilock products to build a custom pillar that's just right for your project.

COPING & STEP TREADS



BRUSSELS FULLNOSE™ See page 118 for color options.



6 x 12' FULLNOSE See page 118 for color options.



PISA2*See page 116 for color options.



LEDGESTONE™ See page 117 for color options.



LEDGESTONE[™] **STEP**See page 117 for color options.



LEDGESTONE[™] **FULLNOSE** See page 117 for color options.



OLDE QUARRY*
See page 110 for color options.



NATURAL STONESee page 104 for color options.



See page 119 for color options.

BORDERS AND BANDING IDEAS FOR PAVERS



Richcliff" (Dawn Mist and Pebble Taupe) paver with Copthorne" (3 Color Blend) accent



Copthorne (3 Color Blend) paver with Brussels Block (Sandstone) accent



Brussels Block* (Sierra) with Copthorne (Basalt) accent



Umbriano* (Autumn Sunset) paver with Copthorne (3 Color Blend) accent



Courtstone* (Basalt, Belgian Blue and Dawn Mist) with Copthorne (3 Color Blend) accent



Richcliff (Dawn Mist and Pebble Taupe) with Courtstone (Basalt) accent



Umbriano (Summer Wheat) with Il Campo* (Heritage Brown) and Series 3000* (Onyx Black) accents



Beacon Hill™ Flagstone (Sycamore) with Copthorne (3 Color Blend) and Series 3000° (Onyx Black) accents



Richcliff (Dawn Mist) with II Campo accent



Artline™ (Steel Mountain) with Series 3000 (Onyx Black) accent



Thornbury[™] (Alpine Grey) with Town Hall (Basalt) and Brussels Block (Sandstone) accent



Brussels Block (Limestone) with Courtstone (Belgian Blue) accent

BORDERS AND BANDING IDEAS FOR WALLS



Olde Quarry (River Blend) with Copthorne (3 Color Blend) accent and Ledgestone (Buff) coping.



Brussels Dimensional Stone (Sandstone) with Unigranite* (Dark Charcoal) accent and Brussels Block* XL coping.



Rivercrest' Wall (Coastal Slate) with Copthorne (Basalt) accent and Ledgestone (Grey) pillar cap.



Olde Quarry (Sandstone) with Il Campo (Heritage Brown) accent and Brussels Fullnose (Sandstone) coping.



Rivercrest' Wall (Coastal Slate) with Copthorne (Basalt) accent and Ledgestone (Grey) pillar cap.



Rivercrest Wall (Coastal Slate and Buff) with Series 3000 (Onyx Black) accent and Ledgestone (Grey) coping.



Lineo Dimensional Stone (Granite Blend) with Series 3000 (Onyx Black) accent and Ledgestone (Grey) coping.

INDEX

PRODUCT PHOTOS

82 Arcana Artline™ 86...10, 12-13, 23, 27, 41, 42 Avante Ashlar™ 93 Beacon Hill™ Flagstone 88...4, 8, 19, 26, 33 Bristol Valley® 84...6, 19, 27 Brussels Block® 98...30-31, 33-34, 40, 42 Brussels Dimensional Stone® 114...6, 14-15, 19, 20-21, 23, 26-27, 33, 40 Brussels Fullnose™ 118...4, 13, 19, 21, 27, 33, 40 Brussels Premier™ 94 Camelot™ 101 Copthorne[®] 78...8, 17, 21, 26-27, 33-35, 42 Courtstone® 74...9, 30-31, 34-35, 38-39 Eco-Priora™ 102 Estate Wall* 112...14-15, 20, 36 Fullnose 6 x 12" 118 103 Hollandstone™ Holland Premier™ 95 Il Campo[®] 92...12, 14-15, 19-20 Ledgestone™ 117...10, 12-14, 20, 23, 28-29, 39, 41 Lineo™ Dimensional Stone 106...10, 12, 19, 27, 39, 41 91 Mattoni Natural Stone 104...24-25, 44-45 Olde Greenwich Cobble® 101 Olde Quarry® 110 Pisa2® 116 Porcelain Tile 105...24 Richcliff* 70...9, 23, 36-37, 39 Rivercrest® Wall 108...8, 13, 28-30, 39, 40, 44-45 96 Rivenstone™ Senzo™ 72...8, 29 Series 3000° 80...12-13, 16, 23, 36-37, 40, 42 SienaStone® 119 83 Soreno Thornbury™ 90...8, 11, 21, 30, 43 76...7, 10-11, 16, 18, 21, 31-32, 34, 41 Town Hall Tribeca Cobble 81...Front Cover Umbriano[®] 68...6, 13, 14-16, 20, 22-23, 29, 38, 44-45 Unigranite[®] 119...8 100 Westport™

97

TOPICS OF INTEREST

Base Preparation 48 **Bedding Material** 49 Borders and Banding 61, 128-129 Classic 50 Construction 48 Contractor, Choosing 56 Coping 127 Edge Restraint 49 EnduraColor™ 50 EnduraColor™ Plus 50 49 Environmental Excavation 48 Facemix 50 Firepits 122...10, 13, 19, 23, 27, 44-45 Fireplaces 121...8, 14, 20, 27, 33, 40 Grill Islands 125...10, 14, 21, 27, 33, 36, 40, 44-45 Joint Material 49 & 64 52 Maintenance Outdoor Idea Center 62 Permeable Pavers 49....76, 90, 102 Pillars 126...19, 21, 26-29, 33, 44-45 58-61 Project Design **Project Management Tips** 65 51 Quality **Retaining Walls** 106-116...8, 28, 30, 40 Sealing 52

Step Treads 127
Technologies 51
3D Design 63
Thru-mix 50

Warranty

Water Features 124...6, 10, 19-20, 27, 39, 41, 44

131

Unilock Ltd. and Hengestone Holdings, Inc. are the owners or authorized users of all trademarks used in this publication unless otherwise specified.

Senzo" and Umbriano* are trademarks of Metten Stein + Design GmbH & Co KG used under license by Unilock*.

Measurements throughout this portfolio are nominal.

Not all products shown are available at all Unilock locations. Log on to Unilock.com for availability. *Colors shown in this catalog should be used only as a guide. Colors should always be chosen from actual samples. Contact your local Unilock representative for color availability in your area. ©2016 Hengestone Holdings, Inc.

Yorkstone[™]

Quality FOR US, IT'S PERSONAL

ver 40 years ago, our founder stumbled upon a unique little European product called the Uni-Stone. Intrigued by the benefits of this revolutionary paving method, he decided to license the product and bring the concept to North America. He purchased a basic paver machine from Europe and hired a small staff to produce the stones.

Founder Ed Bryant - circa 1972

In those days, most sales of Unilock* were to large-scale commercial properties and streetscapes. Any lapse in quality would be costly and would jeopardize our owner's personal reputation. So quality was of paramount importance.

From these humble beginnings, through to the multinational company we are today, Unilock has remained a

family-owned company that puts quality first. For us, it's not just a matter of dollars and cents, it's our personal reputation that's on the line. Our customers - Homeowners, Contractors, Landscape Designers and Architects, across North America - can rely on us to supply them with quality product every time.

TRANSFERABLE LIFETIME GUARANTEE

We introduced the industry's first lifetime guarantee over 30 years ago. And while other manufacturers have tried to imitate it, you just have to see them side by side to get the difference. Theirs are padded with self-protecting fine print and stipulations. Ours is not. For us it's simple. We guarantee that you'll be satisfied with our products and their long-term performance.

Visit Unilock.com to download a copy of our fully transferable Lifetime Guarantee.





BOSTON (508) 278-4536

BUFFALO (716) 822-6074

CHICAGO (630) 892-9191 OHIO

(330) 927-4000

MICHIGAN (248) 437-7037

MILWAUKEE (262) 742-3890 NEW YORK (845) 278-6700

ONTARIO (416) 646-9000 UNILOCK.COM | 1-800-UNILOCK

