



Natural Stone

Sandstone & Limestone

1-800-UNILOCK | UNILOCK.COM

UNILOCK
PAVERS & WALLS

Natural Stone - Sandstone & Limestone Slabs



| BRUSHED FINISH | 12" X 24" | 18" X 24" | 24" X 24" | 24" X 36" |
|----------------|-----------|-----------|-----------|-----------|
| Bundle Type | SINGLE | SINGLE | SINGLE | SINGLE |
| Thickness (mm) | 22MM | 22MM | 22MM | 22MM |


| SQFT PER | Crate | 180.00 | 186.00 | 160.00 | 180.00 |
|----------|-------|--------|--------|--------|--------|
| | Units | 2.00 | 3.00 | 4.00 | 6.00 |

| UNITS PER | Crate | 90.00 | 62.00 | 40.00 | 30.00 |
|-----------|-------|-------|-------|-------|-------|
| | SqFt | 0.50 | 0.33 | 0.25 | 0.17 |


| LBS PER | Unit | 24 | 36 | 48 | 72 |
|---------|-------|-------|-------|-------|-------|
| | Crate | 2,149 | 2,221 | 1,910 | 2,149 |

| COLORS | Reflectance | Stock | Stock | Stock | Stock |
|------------------|----------------|-------|-------|-------|-------|
| Ivory Sand | SR n/a SRI n/a | ✓ | ✓ | ✓ | ✓ |
| Golden Sand | SR n/a SRI n/a | ✓ | ✓ | ✓ | ✓ |
| Stone Cliff Grey | SR n/a SRI n/a | ✓ | ✓ | ✓ | ✓ |
| Black River | SR n/a SRI n/a | ✓ | ✓ | ✓ | ✓ |


LAYING PATTERNS



Natural Stone
12x24 RB A



Natural Stone
24x24 RB B



Natural Stone
Multi-Unit C

APPLICATIONS



APPEARANCE

Edge Detail - Zero
Surface Texture - Brushed / Riven
Joint Spacing - 0 mm
Void - n/a

TECHNICAL INFORMATION

More information is available online.



IVORY SAND **NEW**



GOLDEN SAND **NEW**



STONE CLIFF GREY



BLACK RIVER (Limestone)

| Single Units | 12 X 24" | 18 X 24" | 24 X 24" | 24 X 36" |
|--------------|--|--|--|--|
| | 300 x 600 x 22mm 11 7/8 x 23 5/8 x 7/8" 2.0 Sq.Ft./Stone | 450 x 600 x 22mm 17 3/4 x 23 5/8 x 7/8" 3.0 Sq.Ft./Stone | 600 x 600 x 22mm 23 5/8 x 23 5/8 x 7/8" 4.0 Sq.Ft./Stone | 600 x 900 x 22mm 23 5/8 x 35 1/2 x 7/8" 6.0 Sq.Ft./Stone |

Notes: **SOLD IN FULL CRATES ONLY** and all units except the 24x24" require a refundable skid. This product is not intended for vehicular applications. **Important:** A urethane rubber paver mat must be used to prevent scuffing when compacting. All measurements are nominal. Contact Unilock for more information.

Natural Stone - Sandstone & Limestone Steps, Coping and Pillar Cap



APPLICATIONS



| | | |
|-----------------------|--|-----------------------|
| | | 48" X 16" STEP |
| Bundle Type | | SINGLE |
| Thickness (mm) | | 150MM |

| | | |
|-----------------|-------|-------|
| FCFT PER | Crate | 32.00 |
|-----------------|-------|-------|

| | | |
|-----------------|-------|-------|
| LNFT PER | Crate | 24.00 |
|-----------------|-------|-------|

| | | |
|------------------|-------|------|
| UNITS PER | Crate | 6.00 |
|------------------|-------|------|

| | | |
|----------------|-------|-------|
| LBS PER | Crate | 2,526 |
|----------------|-------|-------|

| COLORS | Stock |
|-------------------------|-------|
| Ivory Sand | ✓ |
| Golden Sand | ✓ |
| Stone Cliff Grey | ✓ |
| Black River (Limestone) | ✓ |



IVORY SAND **NEW**



GOLDEN SAND **NEW**



STONE CLIFF GREY





BLACK RIVER (Limestone)

| | | 48 X 14" BULLNOSE COPING | 48 X 12" BULLNOSE COPING | 48 X 12" NATURAL EDGE COPING | 48 X 14" NATURAL EDGE COPING | 24 X 24" NATURAL EDGE PILLAR CAP | 29 X 29" NATURAL EDGE PILLAR CAP |
|-----------------------|--|--------------------------|--------------------------|------------------------------|------------------------------|----------------------------------|----------------------------------|
| Bundle Type | | SINGLE | SINGLE | SINGLE | SINGLE | SINGLE | SINGLE |
| Thickness (mm) | | 50MM | 50MM | 50MM | 50MM | 65MM | 65MM |

| | | | | | | | |
|------------------|-------|-------|-------|-------|-------|-------|-------|
| UNITS PER | Crate | 20.00 | 20.00 | 20.00 | 20.00 | 14.00 | 12.00 |
| | SqFt | - | - | - | - | - | - |

| | | | | | | | |
|----------------|-------|-------|-------|-------|-------|-------|-------|
| LBS PER | Unit | - | - | - | - | 137 | 200 |
| | Crate | 2,557 | 2,116 | 2,116 | 2,557 | 1,914 | 2,513 |

| COLORS | Stock | Stock | Stock | Stock | Stock | Stock |
|-------------------------|-------|-------|-------|-------|-------|-------|
| Ivory Sand | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Golden Sand | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Stone Cliff Grey | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Black River (Limestone) | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |

| | | | | | | | |
|---|---|--|--|--|--|---|--|
| 48" Step |  | NATURAL EDGE STEP 48 X 16" 1,200 x 150 x 400mm 47 1/4 x 5 7/8 x 15 3/4" | Pillar Cap |  | NATURAL EDGE PILLAR CAP 600 x 600 x 65mm 23 5/8 x 23 5/8 x 2 5/8" |  | NATURAL EDGE PILLAR CAP 725 x 725 x 65mm 28 5/8 x 28 5/8 x 2 5/8" |
| | Coping |  | | 48 X 12" BULLNOSE COPING 1,200 x 50 x 300mm 47 1/4 x 2 x 11 7/8" |  | 48 X 14" BULLNOSE COPING 1,200 x 50 x 350mm 47 1/4 x 2 x 13 7/8" | |
|  | | 48 X 12" NATURAL EDGE COPING 1,200 x 50 x 300mm 47 1/4 x 2 x 11 7/8" |  | 48 X 14" NATURAL EDGE COPING 1,200 x 50 x 350mm 47 1/4 x 2 x 13 7/8" | | | |

Notes: **SOLD IN FULL CRATES ONLY** and all Steps, Coping & Pillar Caps require a refundable skid. This product is not intended for vehicular applications. **Important:** A urethane rubber paver mat must be used to prevent scuffing when compacting. All measurements are nominal. Contact Unilock for more information.