


OF DREAMS 2024







What do you see when you look at a backyard, front porch, or driveway?

At Unilock, we see possibilities.

Possibilities to build works of art and personal playgrounds. Possibilities to bring families together for a birthday barbecue or a wedding reception.


Possibilities to transform your imagination into remarkable outdoor spaces, and build connections stronger than the concrete underfoot.

And we don't let possibilities go to waste. Built on 50 years of innovation and sustainability, Unilock provides customers the tools to transform dreams into reality. We connect you with proven contractors and supply an endless canvas of materials, but the final product is always uniquely yours. And when your project is complete, you don't just have something beautiful, you've changed the way you see the world.

So, where can you see possibilities, and how can we help you build them?



TABLE OF Contents



Journey in style as you discover, dream, and learn about our revolutionary Unilock products and resources.

DREAM

Discover Unilock Finishes

16 Dream with Unilock

Choose your Color

48 Unilock Best in Show

14 Unique Touches

PRODUCTS

52 Product Categories

62 Pavers & Slabs

Think Green

128 Retaining Walls

56 Unilock Technologies

158 Coping, Steps & Treads

164 LEARN & PLAN

168 Project Planning Resources

174 Commercial Projects

170 Finding the Right Contractor

176 Quality Commitment


172 Installation 101



Dream

Begin with a dream of what's possible

Imagine an outdoor space where the inspired use of patterns, textures and shapes not only creates design-envy, but elevates your world in the most beautifully functional way.



Discover Unilock Coatings



Feels 3x better on bare feet than ordinary pavers.

A special finishing process creates the ultra-smooth and silky surface texture of Comfort Step. This special technology results in a remarkably tight surface that is factory sealed to create a unique sensory experience that is velvety-smooth and cool underfoot.





Available exclusively on Elegance and select EnduraColor products, EasyClean enhances the surface color and provides integral stain resistance.





unique mottled surface.

UMBRIANO", U-CARA", PROMENADE™



Timeworn

Various methods are employed to obtain this weathered, timeworn finish, but in every instance, this patina improves the appearance.

TOWN HALL® COURTSTONE® BRUSSELS BLOCK BRUSSELS DIMENSIONAL™



Brushed

ARTLINE™, IL CAMPO®, PROMENADE

Accentuated by artistically intriguing etched lines, this surface is available exclusively from Unilock.



Artista

GRANITO™



The look of boldly mottled granite is achieved with a proprietary process called Artista.

Choose your **EVERYTHING IN** BETWEEN From soul-soothing cool hues to the cozy embrace of warm tones. MONOCHROMATIC OR CONTRAST For an intimate atmosphere, dominate with warm colors, while still incorporating cool tones to create contrast and achieve a visual balance.

Choose your Shape

SHAPING YOUR OUTDOOR PROJECT

Finding the right shape to fit your outdoor project is like placing the last puzzle piece on an exquisite work of art. It just fits! What's more, combine different shapes together to deliver a two-for-one hardscape punch that will elevate your artistic vision to new heights.







RECTANGLE
HEX
SQUARE
PLANK



What will you create?


Let your imagination run wild in the playground of Unilock paving products!





Find your Style


Whether you're designing a quaint backyard refuge or an ultra-modern driveway, we have a variety of paving products that'll turn your outdoor space into a little slice of heaven.



Pick your Pattern

PLAY WITH ANGLES

From herringbone to basket weave, the right angle can make all the difference! A Unilock Authorized Contractor can recommend the best laying patterns based on the products you choose.









THINK OUTSIDE THE BOX

Distinct laying patterns can help define unique "rooms" across your outdoor space, giving you countless design options.

Visit Unilock.com for laying patterns.


Unique Touches

Let your creativity shine! Unilock border and banding options can help enhance your distinctive designs and add touches of elegance to your driveway, walkway, patio or vertical features.





Make a dramatic impact with non-linear designs. Like the atypical array of hexagon-shaped pavers, or a pixelated look created with light and dark square pavers.





Take it a step further with multiple borders, pixelated paver rugs or contrasting geometric grids.

JOINT MATERIAL






Joint material plays an important role between pavers by keeping out weeds and other debris. However, the color you choose can also have a dramatic impact on the look of your project. Your contractor can help you decide what will work best.






Clean, opposing angled lines in this poolside patio create the effect of a chevron, unifying upper and lower decks.






Fire Feature and Raised Patio: Lineo™ Dimensional Stone (Charcoal) with Universal coping (Dark Charcoal) and steps







This elevated backyard patio raises the bar with a stunning fire feature, lounge seating and feature lighting at night.







Clean, granite-like pavers make this ultra-modern pool deck comfortable and cool underfoot on hot, sunny days. Adding to the ambiance of this summer escape is a soothing water feature.





Pavers: Umbriano® with Umbriano coping (Grenada White)

Water Feature and wall: U-Cara® Umbriano with Umbriano coping (Grenada White)




Scan here for project video




Driveway Pavers: Series[™] (Arctic Grey and Nordic Star) with Series (Onyx Black) accents and custom color inlays

Patio Pavers: Beacon Hill™ Smooth (Granite Fusion) with Series (Onyx Black) accents

Wall: U-Cara® Smooth (Opal) with U-Cara Series (Onyx Black) accents





An array of grey and black pavers in the driveway and backyard creates a super sleek, ultra-modern geometric playground.



Scan here for project video

Pavers: Beacon Hill™ Smooth Slab (Granite Fusion) with Natural Stone (Black River) accent and Beacon Hill Smooth (Dark Charcoal) accents

Firepit and Kitchen: Lineo™ Dimensional Stone (Granite) with Beacon Hill Smooth (Dark Charcoal) accent










Large, contemporary slabs accented by contrasting paver bands create a generous sense of space for this intimate, multi-purpose backyard.


Richcliff*(Dawn Mist) with Copthorne*(Basalt) paver rug and Courtstone*(Basalt) accents and Natural Stone (Stone Cliff Grey) slabs








A blending of natural stone and historic brick textures laid in a variety of patterns makes this project a visual feast.





This fire table is a happy hour haven, where guests can laugh and linger the night away.





Pavers: Bristol Valley* (Steel Mountain) with Copthorne* (Basalt) accent


Grill Island: Brussels Dimensional System™(Sierra)



Scan here for project video

This expansive entertaining space offers an outdoor eating area and firepit lounge, visually defined by a herringbone paver carpet.






Pavers: Umbriano*
(Winter Marvel) with
Copthorne* (Basalt) accent


Vertical Features:
Rivercrest** Wall (Coastal
Slate) with Copthorne*
(Basalt) accent and
Ledgestone** coping (Grey)



Scan here for project video







Richcliff® (Dawn Mist and Pebble Taupe) with Courtstone® (Basalt) accent and Ledgestone™ (Buff) step treads






This Craftsman home features the strikingly detailed riven texture of Richcliff, delivering classic elegance.



This sunken patio and adjacent grill island is a clever fusion of form and function that elevates this intimate space.








Lower Patio Pavers: Artline" Smooth (Granite Fusion) and Artline (Granite Blend II Campo° Finish) with Town Hall (Basalt)


Seat Wall, Firepit and Grill Island: Lineo™ Dimensional Stone (Sierra) with Ledgestone™ (Buff) coping and step treads



Scan here for project video










Old world charm mingles with modern-day style in this enchanting backyard.






Pavers: Beacon Hill[™] Smooth (Granite Fusion) and Town Hall[®] (Basalt)

Vertical Features: Lineo[™] Dimensional Stone (Granite) with Ledgestone[™] coping and pillar cap (Grey)




Scan here for project video





Distinctive, winding paver pathways both define and lead to the outdoor rooms of this sprawling backyard.





Pavers: Copthorne® (3 Color Blend with Basalt accent) walkways with Beacon Hill™ Smooth (Granite Fusion)


Grill Island: U-Cara® Pitched (Granite Fusion) with U-Cara Smooth (Dark Charcoal) accent



Scan here for project video

Each level in this lakeside retreat is a brilliant composition of classic and modern textures.








Vertical Features and Steps: U-Cara® Umbriano (Summer Wheat) with Natural Stone coping (Indiana Coast)




Scan here for project video






Pavers: Beacon Hill™ Smooth Slab (Fossil) Copthorne* (Basalt) accent

Retaining Wall and Grill Island: U-Cara® Smooth (Fossil)









An elevated platform sets the stage for next-level entertaining with a half circle bar and grill island, pool and loungers.


Pavers: Copthorne® (Basalt) with Richcliff® (Dawn Mist) and Beacon Hill™ Smooth (Opal Blend) border

Step Treads: Natural Stone (Stone Cliff Grey)










A gently curved walkway brings visitors to the front entrance with Copthorne pavers laid in a traditional herringbone pattern.


Contrasting colors are woven into a traditional herringbone pattern to create a distinctive, modern vibe in this backyard space.






Pavers: Mattoni™ (Granite Blend and Dark Charcoal) with Bristol Valley* (Fossil)

Walls, Steps and Pillars: U-Cara* Pitched (Granite Fusion) with U-Cara Umbriano* (French Grey) and Mattoni (Dark Charcoal) accents with Ledgestone** (Buff) coping and pillar caps






Pavers: Treo® Smooth (Granite Fusion) with Copthorne® (Basalt) accent

Firepit: Brussels Dimensional System™ (Granite) with Ledgestone™ (Buff) coping

Retaining Wall, Steps, and Vertical Features: U-Cara* Smooth (Granite Fusion) with Ledgestone (Buff) coping



Scan here for project video









A curved seat wall leads to a circular fire pit, with a sizable pool deck perfect for entertaining the family.



County Wide Landscaping


Best in Show Winner



"The homeowners envisioned a modern, outdoor sanctuary."

The scope of this 2,400 sqft residential project presented a number of challenges, one of which was elevation. "There was a lot of grading that had to go into this to make the project work," says Brian Larson, President of County Wide Landscaping. "That's why it's a three-level patio."

The finished space features a monochromatic pool deck in a beautiful mosaic-like geometric design, with square paver slabs interspersed with zigzagging lines of artificial turf. A putting green lies adjacent to the space, along with a breathtaking waterfall cascading from the roof of a shaded pergola.



The pergola was built using Lineo™ Dimensional Stone, topped with Ledgestone™ pillar caps in a grey hue to complement the minimalistic design of the backyard space. Patio lighting was installed under the pillar caps on the patio, creating a soothing ambiance that helps guide visitors at night.

On the upper deck an outdoor kitchen was designed using Lineo™ Dimensional Stone, complete with a grill, bar island and granite countertop, with bar stools to accommodate multiple guests. Finally, nestled towards the rear of the yard, an enclosed seating area features a cozy fire pit, allowing guests to relax and unwind on crisp summer nights.

The result is a stunning outdoor space that transformed this backyard into a haven that will be enjoyed for years to come.



"Unilock provided the sleek, modern look we needed to achieve this extravagant design"

Brian Larsen

PRESIDENT OF COUNTY WIDE LANDSCAPING







Products

Capture the eye with exclusive products

From weathered cobblestone to contemporary linear, our product selection reaches beyond the horizontal to include garden walls, pillars, steps, fire tables and fountains. Rock the look that is unmistakably you, and undeniably Unilock!



Unilock Product Categories




CLASSIC

Our **budget-friendly** Classic products are manufactured to exceed ASTM standards for quality and strength.



ENDURACOLOR


The refined look of our EnduraColor products is achieved with a two-step manufacturing process that uses concentrated color and **wear-resistant** finer aggregates to protect the surface from the appearance of fading over time.



ELEGANCE

Our Elegance collection offers timeless beauty with styles you can't get anywhere else. From the classic luxury of riven natural stone slabs to the timeworn look of European cobblestones, the look you purchase is the look that will last.

Project Cost



Choose the product you love to get the maximum enjoyment from the investment you've made below the surface.

Don't Compromise

Many products look great when they're first installed, but after time the difference in quality shows.

In an average project, only 20% of the overall cost comes from the paver and wall products you choose, so don't be tempted to compromise.





Think Green



More and more households are opting for permeable paver projects as a sustainable, cost-effective and environmentally friendly alternative to traditional pavers.

Developed in response to growing concerns around stormwater management, permeable pavers allow rainwater to flow between the joints of pavers and back into the subsoil. This provides a dual "green" benefit: by naturally filtering out pollutants before stormwater reaches waterways, and by providing extra moisture back into surrounding plant material.

Using permeable pavers will decrease rainwater puddling on the pavement, effectively reducing the risk of ice buildup which is a benefit particularly useful on driveways.

For homeowners who live in regions where local codes require them to reduce impervious surfaces on their lot to accommodate a new landscape feature like an in-ground pool, permeable paving is a popular alternative to conventional poured-in-place concrete or asphalt.



Some homeowners install rainwater collection systems underneath their paver projects to supply water to in-ground sprinkler systems!

Permeable Pavers

Special materials are used in the joints and in the permeable base below, to encourage water to flow through and reach the subsoil.




Permeable pavers look similar to traditional pavers but are designed with special spacer bars that create a wider joint.

Permeable Collection @

In 1991, Unilock introduced the first permeable paver to North America. Since then, we've worked to produce the most extensive collection of permeable pavers in the industry.

TOWN HALL





THORNBURY™



ECO-LINE

ECO-PROMENADE°



TRIBECA COBBLE®



ECO-PRIORA™



TREO' SMOOTH



ECO-OPTILOC™



NORDIC COBBLE™



Ultima



Only Unilock has the technology in North America to manufacture Ultima Concrete resulting in pavers **up to four times stronger** than poured concrete. With Ultima, the look you purchase is the look that will last.

Exclusive to **UNILOCK**



Ultima Concrete is a key ingredient in the **timeless beauty** of our Elegance collection of premium pavers.

What makes Ultima concrete so strong?

In a word, fluidity. During manufacturing, we use as little water as possible while enhancing the fluidity at the drying stage, resulting in a form that self-compacts at the chemical level. The result is an extraordinary product that is unlike anything you'll find outside of Unilock.

With Ultima

Unilock Town Hall® pavers are built to last



Without Ultima

Deteriorating brick pavers exposed to deicing salts

Reala

When it comes to creating **realistic textures** that are indistinguishable from brick, cobblestone, or flagstone, there is no room for compromise.

Any paver meant to imitate a classic building material needs to embody its look, its feel, and its strength.

At Unilock, we've been capturing all three since 2004 with our Reala technology.










How do we achieve a random appearance?

First, we cast a multitude of pavers from molds of actual flagstone, brick, and cobblestone. Then we randomize the casting process. With so much variation between molds, we can then ensure that any paver installation avoids repetition, no matter how large or small the project.











Stains set for thirty minutes, then removed with damp paper towel, hand scrub brush and mild soap

What does this mean for stains?

Any spill that does manage to land on an EasyClean paver can be quickly and easily wiped away - no deep scrubbing or heavy cleaners needed.

Exclusive to **UNILOCK**

Unlike after-market sealers which merely coat the top, EasyClean goes beyond the surface and becomes integral to the product during manufacturing. The result is enhanced surface color, and stain resistance.

EASYCLEAN ADVANTAGES

Pavers are pre-sealed at the factory

Enhanced resistance to weathering

Reduced dirt absorption

Stains from leaves, coffee, ketchup, mustard, wine and BBO oils are easier to remove






ColorFusion

Exclusive to **UNILOCK**





ColorFusion is made with the same durable concrete and fortifying manufacturing processes that make Unilock pavers last for decades. Our commitment to beautiful, long-lasting hardscaping products is what built our reputation, and we honor that commitment through continued innovation.

Sustainability Commitment



In 2021, Unilock announced its commitment to becoming a carbon neutral company.

We have implemented initiatives that continue to minimize our use of fossil fuels, conserve water and replace cement in our products, while producing the highest quality product.



How can you make your project more sustainable?

Make it Permeable


Permeable pavers allow rainwater to flow through the pavement surface and back into the subsoil below, filtering out contaminants that could otherwise flow into stormwater drains and pollute local waterways.

Shop Locally

Choosing products that are manufactured at a Unilock facility close to your home reduces carbon emissions associated with transportation.

Think Lighter

Products that are lighter in color, have a higher solar reflectance. When you choose a lighter colored product, more of the sun's energy is reflected and less heat is absorbed into the pavement surface. This helps reduce urban 'heat island effect' and carries a number of environmental benefits.




EcoTerra Paving a Greener Way **EFFLORESCENCE UP TO 15%** REDUCTION IN CO. **ENDURACOLOR CEMENT-FREE**

Revolutionary EcoTerra technology offers a sustainable paving solution with its cement-free face-mix. It provides high compressive strength, low absorption, and remarkable colorfastness, all while contributing up to a 15% reduction in carbon dioxide emissions. Additionally, EcoTerra products are designed to be free of efflorescence.

FACE-MIX




TRUE LONGER





Pavers & Slabs

From traditional shapes and textures to the most advanced technology and unique styles, the choices available in our paver collection are unrivaled in the industry.



ENDURACOLOR®

Beacon Hill Smooth









FOSSIL

GRANITE FUSION

TUSCANY Not available in Slab

3 UNIT RANDOM BUNDLE PEDESTRIAN ONLY



LARGE RECTANGLE 15 x 22½ x 2¾8" 380 x 570 x 60mm



SQUARE 15 x 15 x 2³/₈" 380 x 380 x 60mm



SMALL RECTANGLE 7½ x 15 x 2¾" 190 x 380 x 60mm

 $7\frac{1}{2} \times 15 \times 2\frac{3}{8}$ "

SLAB PEDESTRIAN ONLY



21½ x 35 x 2¾" 540 x 900 x 60mm

80 MM RANDOM BUNDLE

DRIVE FRIENDLY

Granite Fusion and Fossil only

SMALL RECTANGLE PEDESTRIAN ONLY










190 x 380 x 60mm

FOSSIL

GRANITE FUSION

DARK CHARCOAL



ENDURACOLOR

Beacon Hill Flagstone







BIRCH

SIERRA

WALNUT





GRANITE FUSION

RIVER BLEND

3 UNIT RANDOM BUNDLE PEDESTRIAN ONLY



LARGE RECTANGLE $15 \times 22\frac{1}{2} \times 2\frac{3}{8}$ " 380 x 570 x 60mm



SQUARE 15 x 15 x 2³/₈" 380 x 380 x 60mm



SMALL RECTANGLE $7\frac{1}{2} \times 15 \times 2^{3}/8$ " 190 x 380 x 60mm



ENDURACOLOR

Treo®







GRANITE FUSION RIVER

3 UNIT RANDOM BUNDLE DRIVE FRIENDLY



LARGE RECTANGLE 81/8 x 131/4 x 23/8" 225 x 338 x 60mm



SQUARE 81/8 x 81/8 x 23/8" 225 x 225 x 60mm



SMALL RECTANGLE 4½ x 8½ x 2¾ " 112 x 225 x 60mm



ENDURACOLOR

Treo Smooth •







GRANITE FUSION

FOSSIL

TUSCANY

3 UNIT RANDOM BUNDLE PERMEABLE DRIVE FRIENDLY



LARGE RECTANGLE 81/8 x 131/4 x 23/8" 225 x 338 x 60mm



SQUARE 8½ x 8½ x 2¾8" 225 x 225 x 60mm



SMALL RECTANGLE 4½ x 8½ x 2¾8" 112 x 225 x 60mm

69

Granite Fusion with Copthorne® (Basalt) accent





CLASSIC

Brussels Block







SANDSTONE

SIERRA

INDIVIDUAL UNITS DRIVE FRIENDLY

Antiqued Finish



LIMESTONE

 $8\frac{1}{4} \times 13\frac{3}{4} \times 2\frac{3}{4}$ " 208 x 348 x 70mm



173 x 208 x 70mm



HALF STONE 4 x 67/8 x 23/4" 104 x 173 x 70mm

FULLNOSE COPING See page 163 for details



CLASSIC

Westport™







3 UNIT RANDOM BUNDLE DRIVE FRIENDLY



LARGE RECTANGLE $10 \times 15 \times 2^{3}/4$ " 254 x 380 x 70mm



RIVER

SQUARE $10 \times 10 \times 2^{3}/4$ " 254 x 254 x 70mm



RECTANGLE 5 x 10 x 2³/₄" 127 x 254 x 70mm

SIERRA

Color selection should be chosen from actual samples. Sandstone with Copthorne® accents Color selection should be chosen from actual samples. Granite





CLASSIC

Camelot™







GRANITE

SIERRA

RIVER

INDIVIDUAL UNITS DRIVE FRIENDLY



RECTANGLE 63/8 x 91/2 x 23/8" 160 x 240 x 60mm



SQUARE 6³/₈ x 6³/₈ x 2³/₈" 160 x 160 x 60mm



CLASSIC

Hollandstone[®]









CHARCOAL

SIERRA

RIVER


RUSTIC RED

INDIVIDUAL UNIT DRIVE FRIENDLY



4 x 8 3 % x 7 % x 2 3 % " 100 x 200 x 60 mm

73











Bristol Valley*

Exclusive to UNILOCK







BAVARIAN BLEND

FOSSIL

STEEL MOUNTAIN

3 UNIT RANDOM BUNDLE PEDESTRIAN ONLY



LARGE RECTANGLE $15 \times 22\frac{1}{2} \times 2\frac{3}{8}$ " 380 x 570 x 60mm



SQUARE 15 x 15 x 2³/₈" 380 x 380 x 60mm



SMALL RECTANGLE $7\frac{1}{2} \times 15 \times 2\frac{3}{8}$ " 190 x 380 x 60mm

SLAB PEDESTRIAN ONLY





COLORFUSION™






Umbriano[®]

Exclusive to **UNILOCK**









SUMMER WHEAT

GRENADA WHITE

WINTER MARVEL

FRENCH GREY

MIDNIGHT SKY 7x14"&4x8" only

3 UNIT RANDOM BUNDLE

AVAILABLE IN BOTH 60MM & 80MM

60mm not suitable for vehicular applications. 80mm can handle vehicular loads.



LARGE RECTANGLE 14 x 21 x 2³/₈ (3¹/₈)" 360 x 540 x 60 (80) mm



SQUARE 14 x 14 x 2³/₈ (3¹/₈)" 360 x 360 x 60 (80) mm



SMALL RECTANGLE 7 x 14 x 23/8 (31/8)" 180 x 360 x 60 (80) mm

INDIVIDUAL UNITS DRIVE FRIENDLY



NEW 7x14 7 x 14 x 2³/₈ (3¹/₈)" 180 x 360 x 60 (80) mm



31/8 x 111/8 x 31/8" 100 x 300 x 80mm




31/8 x 71/8 x 23/8" 100 x 200 x 60mm



 $7\% \times 7\% \times 2\%$ 200 x 200 x 70mm

See page 95 for additional finishes.

See page 99 for additional finishes. Midnight Sky only Color selection should be chosen from actual samples. Winter Marvel









Subtly mottled color finish

Umbriano^{*} Slab

Exclusive to **UNILOCK**








SUMMER WHEAT

WINTER MARVEL

GRENADA WHITE 18 x 36" only






FRENCH GREY

MIDNIGHT SKY 8 x 16" and 8 x 24" only

INDIVIDUAL UNITS DRIVE FRIENDLY










16 x 16 15 ³/₄ x 15 ³/₄ x 2³/₄" 400 x 400 x 70mm



8 x 16 7 1/8 x 15 3/4 x 23/4" 200 x 400 x 70mm



17³/₄ x 35¹/₂ x 3⁷/₈"





SLAB PEDESTRIAN ONLY




24 x 24 23 5/8 x 23 5/8 x 23/4" 600 x 600 x 70mm




NEW 18 x 36 17³/₄ x 35¹/₂ x 2³/₈" 450 x 900 x 60mm

Summer Wheat Color selection should be chosen from actual samples.



Skyline™

Perfect for roof decks and other raised floor applications.





SILVER GREY

CHAMOIS


SLAB PEDESTRIAN ONLY



24 x 24 23% x 23% x 2" 606 x 606 x 50mm



Unilock Pedestal System Contact your local Unilock Rep for more information.



Artline™







FOSSIL

GRANITE FUSION

GRANITE FUSION II Campo Finish - See page 89 for additional sizes

7 UNIT RANDOM BUNDLE DRIVE FRIENDLY



4% x 6¾ x 2¾" 125 x 169 x 70mm



4% x 10% x 2¾" 125 x 262.5 x 70mm



41/8 x 173/4 x 23/4" 125 x 450 x 70mm



7½ x 83 x 234" 187.5 x 225 x 70mm




7½ x 13¾ x 2¾" 187.5 x 337.5 x 70mm



4% x 133% x 23/4" 125 x 337.5 x 70mm



7½ x 17¾ x 2¾" 187.5 x 450 x 70mm




Mattoni™

Exclusive to UNILOCK



INDIVIDUAL UNIT DRIVE FRIENDLY





Holland Premier





IVORY

GRANITE FUSION

DARK CHARCOAL





FOSSIL

MOCHA

INDIVIDUAL UNIT DRIVE FRIENDLY



4 x 8 3% x 7% x 23/8" 100 x 200 x 60mm





COP Light Grey (8x24)

BOTTOM Dark Charcoal (4x8) with Brussels Dimensional System™ (Sierra) and Ledgestone™ coping (Buff)

ENDURACOLOR®

Exclusive to **UNILOCK**

Il Campo[®]







4 x 8 3% x 7% x 23/8" 100 x 200 x 60mm

MOCHA DARK CHARCOAL

DRIVE FRIENDLY Brushed Finish

PROMENADE DRIVE FRIENDLY

Brushed Finish







LIGHT GREY

GRANITE BLEND

DARK CHARCOAL



8 x 24 7% x 235/8 x 4" 200 x 600 x 100mm



4 x 12 3%x 11% x 4" 100 x 300 x 100mm

See page 101 for additional finishes.

ARTLINE DRIVE FRIENDLY

Brushed Finish





7 unit Random Bundle See page 83 for details.

GRANITE FUSION

89

Color selection should be chosen from actual samples.



Boulevard™





GRANITE FUSION RIVER

3 UNIT RANDOM BUNDLE DRIVE FRIENDLY



LARGE RECTANGLE 12 x 24 x 2³/₄" 305 x 610 x 70mm



MEDIUM RECTANGLE 12 x 18 x 2³/₄" 305 x 457 x 70mm



SQUARE 12 x 12 x 2³/₄" 305 x 305 x 70mm



ENDURACOLOR

Thornbury[™] **⊘**





FOSSIL

3 UNIT RANDOM BUNDLE PERMEABLE DRIVE FRIENDLY



LARGE RECTANGLE 137% x 165% x 234" 350 x 420 x 70mm



SIERRA

MEDIUM RECTANGLE 131/8 x 83/8 x 23/4" 350 x 210 x 70mm



SMALL RECTANGLE $6\% \times 8\% \times 2\%$ " $173 \times 210 \times 70$ mm

Color selection should be chosen from actual samples.

Color selection should be chosen from actual samples.

Sierra with Town Hall* (Basalt) accent











Granito™

Exclusive to UNILOCK







NOTTE

3 UNIT RANDOM BUNDLE PEDESTRIAN ONLY

FLAGSTONE TEXTURE



LARGE RECTANGLE 141/4 x 211/4 x 23/8" 360 x 540 x 60mm




SABIA

SQUARE 14½ x 14½ x 2¾8" 360 x 360 x 60mm



SMALL RECTANGLE 7 x 141/4 x 23/8" 180 x 360 x 60mm







NOTTE

SABIA


SMOOTH TEXTURE



8 x 8 7% x 7% x 23/4" 200 x 200 x 70mm

See page 95 for additional hex finishes

HEX UNIT DRIVE FRIENDLY





TOP Summer Wheat (Umbriano Finish)

BOTTOM Scuro (Granito Finish) with Beacon Hill™ Smooth (Opal)


ENDURACOLOR

Hex™



8 x 8 71/8 x 71/8 x 23/4" 200 x 200 x 70mm

SMOOTH FINISH DRIVE FRIENDLY








OPAL **NEW**

MEDIUM GREY **NEW**

DARK CHARCOAL


UMBRIANO FINISH DRIVE FRIENDLY



See page 76-79 for additional sizes







SUMMER WHEAT

NOTTE


WINTER MARVEL

FRENCH GREY

GRANITO™ FINISH DRIVE FRIENDLY

See page 93 for additional sizes







SABIA

SCURO





Series™

Exposed Granite



ONYX BLACK

DRIVE FRIENDLY



4 x 8 3 % x 7 % x 2 3/8" 100 x 200 x 60mm

See page 101 for additional sizes.



ARCTIC GREY

PERMEABLE DRIVE FRIENDLY



4 x 12 3%x 11% x 3/8" 100 x 300 x 80mm



See page 99 for additional finishes



ENDURACOLOR





Promenade[™] EcoTerra New



LIGHT STEEL GREY BLEND

Color selection should be chosen from actual samples.



LIGHT OPAL BLEND

INDIVIDUAL UNIT DRIVE FRIENDLY

Enhanced Surface




4 x 12 3%x 11% x 23/4" 100 x 300 x 70mm

See page 99 for additional finishes.

NORDIC STAR

97



Promenade™ 80mm



4 x 12 3%x 11% x 3%" 100 x 300 x 80mm

SMOOTH FINISH DRIVE FRIENDLY







OPAL

MEDIUM GREY

DARK CHARCOAL

UMBRIANO* FINISH DRIVE FRIENDLY







ColorFusion™ / EasyClean™


WINTER MARVEL

FRENCH GREY

MIDNIGHT SKY

MARVEL FREI

Color selection should be chosen from actual samples.



Promenade^{**} 100mm

SPECIAL ORDER PRODUCT Minimum quantities may apply

SMOOTH FINISH DRIVE FRIENDLY







OPAL BLEND



8 x 24 71/8 x 235/8 x 4" 200 x 600 x 100mm



STEEL GREY BLEND

4 x 16 31/8 x 153/4 x 4" 100 x 400 x 100mm



SANDSTONE 4x12 Only

4 x 12 31/8 x 111/8 x 4" 100 x 300 x 100mm

IL CAMPO FINISH DRIVE FRIENDLY









LIGHT GREY

8 x 24 71/8 x 235/8 x 4" 200 x 600 x 100mm



4 x 12 31/8 x 111/8 x 4" 100 x 300 x 100mm See page 89 for additional sizes.

SERIES FINISH DRIVE FRIENDLY

8 x 24



4 x 12 31/8 x 111/8 x 4"

100 x 300 x 100mm

Exposed Granite

BLACK GRANITE



Eco-Line®

8 UNIT RANDOM BUNDLE PERMEABLE DRIVE FRIENDLY



84 x 237 x 100mm

3³/₈ x 9³/₈ x 3³/₈" 3³/₈ x 10³/₈ x 3³/₈"



3³/₈ x 10³/₈ x 3³/₈" 3³/₈ 84 x 277 x 100mm 84 x



33/8 x 121/2 x 33/8" 84 x 317 x 100mm



33/8 x 14 x 33/8" 84 x 357 x 100mm



4½ x 9¾ x 3¾" 114 x 237 x 100mm



4½ x 10¾ x 3¾" 114 x 277 x 100mm



4½ x 12½ x 3¾" 114 x 317 x 100mm



4½ x 14 x 3¾" 114 x 357 x 100mm

SPECIAL ORDER ONLY PRODUCT

Eco-Line can be manufactured in a variety of custom **EnduraColor** and **Classic** colors and textures. Minimum quantities may apply. Please contact your Unilock* representative for more details.



ENDURACOLOR

Eco-Promenade®

SERIES™ FINISH PERMEABLE DRIVE FRIENDLY



ARCTIC GREY



NORDIC STAR



4 x 12 3%x 11% x 3%" 100 x 300 x 80mm

SPECIAL ORDER

Eco-Line can be manufactured in a variety of custom **EnduraColor** and **Classic** colors and textures. Minimum quantities may apply. Please contact your Unilock* representative for more details.



3 x 12 3 x 11½ x 3½" 75 x 300 x 100mm

UU X IUUMM



CLASSIC

Eco-Optiloc™ <





NATURAL RIVER

INDIVIDUAL UNIT PERMEABLE DRIVE FRIENDLY



10 x 10 9% x 9% x 3%" 250 x 250 x 80mm



CLASSIC

Eco-Priora™ ⊘



RIVER

INDIVIDUAL UNITS PERMEABLE DRIVE FRIENDLY



10 x 10 9½ x 9½ x 3½" 240 x 240 x 80mm

Special Order



5 x 10 4³/₄ x 9¹/₂ x 3¹/₈" 120 x 240 x 80mm

105





Tribeca Cobble®





COBALT GREY

PEPPERED GRANITE

3 UNIT RANDOM BUNDLE PERMEABLE DRIVE FRIENDLY

Exposed Granite



LARGE RECTANGLE 5 x 12 x 2³/₄" 130 x 305 x 70mm



MEDIUM RECTANGLE 5 x 9 x 2³/₄" 130 x 230 x 70mm




SMALL RECTANGLE $5 \times 7 \times 2^{3}$ /4" $130 \times 175 \times 70$ mm



ENDURACOLOR

Nordic Cobble[™] •







OPAL **NEW**

GRANITE FUSION **NEW**

DARK CHARCOAL **NEW**

INDIVIDUAL UNIT PERMEABLE DRIVE FRIENDLY



TRAPEZOID 35% x 33/4 x 23/8" 89.9 x 94 x 60mm

Color selection should be chosen from actual samples.

Cobalt Grey

Color selection should be chosen from actual samples.

Opal and Granite Fusion mix with Courtstone® accent





TOP Indian Coast

LEFT Stone Cliff Grey

RIGHT Black River with Lineo Dimensional Stone (Granite Fusion) wall



Natural Stone

Suitable for pool decks, wood decks, patios, entrances and concrete overlays.



AUTUMN HARVEST SANDSTONE



GOLDEN SAND SANDSTONE



INDIAN COAST SANDSTONE



IVORY SAND SANDSTONE



STONE CLIFF GREY SANDSTONE



BLACK RIVER LIMESTONE



WINTER MIST LIMESTONE

4 UNIT RANDOM BUNDLE PEDESTRIAN ONLY



12 x 24 11% x 235% x %" 300 x 600 x 22mm



18 x 24 17³/₄ x 23⁵/₈ x ⁷/₈" 450 x 600 x 22mm



24 x 24 23⁵/₈ x 23⁵/₈ x ⁷/₈" 600 x 600 x 22mm



24 x 36 23⁵/₈ x 35½ x ½" 600 x 900 x 22mm

PAGE 162 FOR STEPS & COPING

Porcelain Tile

Suitable for pool decks, wood decks, patios, entrances and concrete overlays.



24 x 24 PEDESTRIAN ONLY



GOTHAM NERO



GOTHAM BIANCO



TRAVSTONE BEIGE TRAVSTONE GREY



CHAMONIX BEIGE





CHAMONIX GREY CHAMONIX DARK GREY





WEST 57TH BIANCO









NEW ENGLAND WHITE

NEW ENGLAND IVORY

ESSENTIAL WHITE

NEW ENGLAND COLD GRAY

NATURE CARRARA

♦ DELCONCAUS

24 x 24 235/8 x 235/8 x 7/8" 600 x 600 x 20mm

Please contact your contractor or a local Unilock Authorized Dealer for more information and availability.

16 x 32 PEDESTRIAN ONLY











ARBOR BIANCO

TRAVSTONE BEIGE

TRAVSTONE GREY

QUARTZITE SAND

QUARTZITE GREY







QUARTZITE DARK GREY

QUARTZITE BIANCO

NEW ENGLAND WHITE

NEW ENGLAND IVORY

NEW ENGLAND COLD GRAY



16 x 32 $15\frac{3}{4} \times 31\frac{1}{2} \times \frac{7}{8}$ " 400 x 800 x 20mm

24 x 48 PEDESTRIAN ONLY







24 x 48 15³/₄ x 31¹/₂ x ⁷/₈" 400 x 800 x 20mm

NEW ENGLAND IVORY

NEW ENGLAND WHITE

3 UNIT RANDOM BUNDLE PEDESTRIAN ONLY











24 x 24

TRAVSTONE BEIGE

GOTHAM GREY

11% x 11% x 1/8 i 300 x 300 x 22mm

12 x 24 11 1/8 x 235/8 x 7/8" 300 x 600 x 22mm

 $23\frac{5}{8} \times 23\frac{5}{8} \times \frac{7}{8}$ " 600 x 600 x 20mm

16 x 48 PEDESTRIAN ONLY









15³/₄ x 47¹/₄ x ⁷/₈" 400 x 1200 x 20mm



111

Richcliff®

EXCLUSIVE TO UNILOCK

Inspired by the texture of natural cut flagstone, Richcliff offers superior durability and timeless appeal ideal for driveways, patios, walkways and commercial projects.

A multitude of stone textures were cast using Reala™ Technology, to ensure that finished projects will have a completely random and natural appearance. And unlike natural stone, which can crack, split and fade, Richcliff is virtually indestructible.



Scan here for project inspiration





ULTIMA™ Up to 4x stronger than poured-in-place concrete







Richcliff*

Exclusive to **UNILOCK**









SMOKE SHALE

DAWN MIST

PEBBLE TAUPE

PEBBLE TAUPE / DAWN MIST Blended on Site

3 UNIT RANDOM BUNDLE DRIVE FRIENDLY



RECTANGLE $8\% \times 11\% \times 2\%$ " 300 x 226 x 60mm



 $8\% \times 8\% \times 2\%$ " 226 x 226 x 60mm



SMALL RECTANGLE 5% x 8% x 23/8" 150 x 226 x 60mm

LARGE RECTANGLE PEDESTRIAN ONLY



11% x 20% x 23/8" 528 x 302 x 60mm

Color selection should be chosen from actual samples. Dawn Mist







ULTIMA™ Cast from European cobblestones





Up to 4x stronger than poured-in-place concrete

Courtstone

Exclusive to **UNILOCK**



5 UNIT RANDOM BUNDLE DRIVE FRIENDLY



BASALT

XL RECTANGLE 51/8 x 83/8 x 23/8" 130 x 215 x 60mm



LARGE RECTANGLE 51/8 x 71/4 x 23/8" 130 x 185 x 60mm



RECTANGLE 51/8 x 61/2 x 23/8" 130 x 165 x 60mm



SMALL RECTANGLE $5\frac{1}{8} \times 5\frac{3}{4} \times 2\frac{3}{8}$ " 130 x 145 x 60mm



51/8 x 51/8 x 23/8" 130 x 130 x 60mm







ULTIMA™ Up to 4x stronger than poured-in-place concrete







Exclusive to **UNILOCK**

BURGUNDY RED







OLD OAK






3 COLOR BLEND Blended on Site

BASALT

INDIVIDUAL UNIT PERMEABLE DRIVE FRIENDLY

















Copthorne

Exclusive to UNILOCK







OLD OAK



3 COLOR BLEND Blended on Site



ARCTIC GREY **NEW**



STEEL BLUE



BASALT



3 COLOR GREY BLEND Blended on Site

INDIVIDUAL UNIT DRIVE FRIENDLY








Retaining Walls & Vertical Features

Unlimited creative possibilities exist for retaining soil or building vertical features like grill islands and firepits.





Fossil Pitched with Fossil Smooth back splash and Beacon Hill™ Smooth pavers

U-Cara® Multi-Face Wall System

This patented wall system, exclusive to Unilock, represents a revolution in wall design. With U-Cara it's now possible to design walls, pillars, planters, fire features, grill islands and more.

FASCIA PANELS

DARK CHARCOAL

MIDNIGHT SKY

sмоотн	UMBRIANO	PITCHED	COMING SOON SUBWAY	COMING SOON LAVANO
GRANITE FUSION	FRENCH GREY	GRANITE FUSION	OPAL	GRANITE FUSION
FOSSIL	SUMMER WHEAT	FOSSIL	IVORY	FOSSIL
INDIANA BUFF	WINTER MARVEL	SERIES 3" PANEL	DARK CHARCOAL	
	SALES CONTRACTOR OF THE PARTY O	16 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		

ONYX BLACK

LEFT Ivory Subway

RIGHT Dark Charcoal Smooth

131



TOP Winter Marvel Umbriano with Umbriano (French Grey) pavers and Umbriano coping

LEFT Opal Smooth with Granite Fusion Pitched accent

RIGHT Granite Fusion Pitched with Umbriano French Grey and Copthorne® (Basalt) accents with Ledgestone coping and Pillar Cap



U-Cara^{*} Multi-Face Wall System

1 BASE UNIT



UNIVERSAL BASE UNIT

19 x 14 x 2½" 482 x 355 x 55mm

2 BACKER BLOCKS



SURETRACK STANDARD 7½ x 5% x 5%" 190 x 150 x 150mmm



SURETRACK LARGE BACKER CORNER/PILLAR 6% x 5% x 115/8" 150 x 175 x 294mm



SURETRACK
CORNERINSERT
L = 2"
50mm

FASCIA PANELS

6" STANDARD FASCIA



5% x 183% x 23%" 150 x 466 x 60mm 3" SERIES PANEL



2% x 9 x 23/8" 71 x 231 x 60mm 2 UNIT CORNER BUNDLE



FASCIA PANEL 5% x 20% x 23/8" 150 x 530 x 60mm

CLOSED-END

STANDARD FASCIA HALF PANEL 5% x 9½ x 23/8"

> 150 x 233 x 60mm Note: Not available in Subway or Lavano.

4 FASCIA PANEL STYLES



PITCHED



UMBRIANO



SERIES





5 COPING

SMOOTH




UNIVERSAL 14 x 19 x 2³/₄" 355 x 482 x 70mm

SEE PAGE 160-163 FOR MORE COPING OPTIONS


U-Cara^{*} Modular System

Our U-Cara Modular System offers a variety of aluminium frames that can be mixed and matched to construct vertical features like grill islands, fire features and pillars.











Speak to your contractor to select a design and a U-Cara fascia panel finish to suit your project.

U-Cara Wall Mount System

The U-Cara Wall Mount System allows you to put the finishing touches on your project by cladding existing structures with U-Cara fascia panels.







Ideal for garden sheds, wing walls, exposed foundation, existing steps or concrete and wood substrates.





TOP Granite with Holland Premier™ (Dark Charcoal) accent and Treo® smooth pavers

RIGHT Granite with Series™ (Onyx Black) accent and Ledgestone™ Pillar Cap (Grey)

LEFT Sierra with Artline™ (Fossil) and Town Hall® (Basalt) pavers

CLASSIC

Lineo[®] Dimensional Stone







GRANITE

FIELDSTONE

SIERRA

4 UNIT RANDOM BUNDLE



235% x 7% x 3%" 600 x 200 x 100mm



19³/₄ x 7½ x 3½" 500 x 200 x 100mm



15³/₄ x 7¹/₈ x 3¹/₈" 400 x 200 x 100mm



11% x 7% x 3%" 300 x 200 x 100mm



PILLAR / CORNER 15³/₄ x 7% x 3%" 400 x 200 x 100mm



UNIVERSAL BASE UNIT 14 x 19 x 2½" 355 x 482 x 55mm



ARCHITECTURAL PILLAR CAP 28 x 28 x 3" 711 x 711 x 75mm







2013

Rivercrest received the "red dot" award for high design quality and innovation.

STONEMARK







Rivercrest Wall





COASTAL SLATE

BUFF

4 UNIT RANDOM BUNDLE



STANDARD UNIT 1 8 x 9-10 x 21/4" 200 x 230-250 x 57mm



STANDARD UNIT 2 12 x 9-10 x 21/4" 300 x 230-250 x 57mm



STANDARD UNIT 3 12 x 9-10 x 21/4" 300 x 230-250 x 57mm



STANDARD UNIT 4 17 x 9-10 x 21/4" 425 x 230-250 x 57mm

2 UNIT CORNER BUNDLE



LONG CORNER UNIT 17½ x 9-10 x 2¼" 450 x 230-250 x 57mm



SHORT CORNER UNIT 14½ x 9-10 x 2¼" 375 x 230-250 x 57mm



UNIVERSAL BASE UNIT 14 x 19 x 21/4" 355 x 482 x 55mm

Coastal Slate with Richcliff® (Dawn Mist) pavers

LEFT Coastal Slate with Copthorne® (Basalt) accent and Ledgestone™ (Grey) coping

RIGHT Coastal Slate with Natural Stone (Black River) coping







OP River with Copthorne® (Basalt) accent Paver: Beacon Hill™ Flagstone (River Blend)

LEFT Sierra with Ledgestone™ Fullnose (Buff) coping

RIGHT River with Ledgestone (Buff) coping



CLASSIC

Estate Wall







GRANITE RIVER SIERRA

3 UNIT RANDOM BUNDLE



6" LARGE UNIT 14% x 9 x 5%" 375 x 230 x 150mm



6" MEDIUM UNIT 9 x 11% x 5%" 230 x 300 x 150mm



6" SMALL UNIT 9 x 9 x 5%" 230 x 230 x 150mm

INDIVIDUAL UNITS



CORNER 125% x 9 x 57%" 320 x 230 x 150mm



UNIVERSAL BASE UNIT 14 x 19 x 21/4" 355 x 482 x 55mm



TOP Sandstone with Series" (Onyx Black) accent and Brussels Block* (Sandstone) pavers

LEFT Sierra with Bristol Valley* (Steel Mountain) and Copthorne* (Basalt) accent pavers

RIGHT Sandstone with Brussels Fullnose" (Sandstone) coping with Copthorne* (3 Color Blend) accent



CLASSIC

Brussels Dimensional System®







RIVER

SANDSTONE

SIERRA

LIMESTONE

DARK CHARCOAL Standard only

Antiqued Finish



STANDARD 11% x 3% x 7% " 300 x 100 x 200mm



SMALL TAPERED 9 x 3 1/8 x 7 1/8" 229 x 100 x 200 mm



UNIVERSAL BASE UNIT 14 x 19 x 21/4" 355 x 482 x 55mm

SUNSET FIREPIT KITS

Round





Round and Square fire pit inserts sold separately. See page 153 for additional information.

Dimensional Smooth







SANDSTONE

LIMESTONE

DARK CHARCOAL




STANDARD 11% x 3% x 7% " 300 x 100 x 200mm



UNIVERSAL BASE UNIT 14 x 19 x 21/4" 355 x 482 x 55mm





Pisa™



GRANITE



RIVER



SIERRA



STANDARD 71/8 x 111/8 x 51/8" 200 x 300 x 150mm



TAPERED 71/8 x 111/8 x 51/8" 200 x 300 x 150mm



CORNER 11% x 5% x 7%" 300 x 150 x 200mm



COPING 111/8 x 111/8 x 3" 300 x 300 x 75mm



UNIVERSAL BASE UNIT 14 x 19 x 21/4" 355 x 482 x 55mm



CLASSIC

Pisa[™] XL





RIVER



SIERRA



GRANITE

XL UNIT 111/8 x 15³/₄ x 5⁷/₈" 300 x 400 x 150 mm




CORNER COPING 111/8 x 51/8 x 71/8" 111/8 x 111/8 x 3" 300 x 300 x 75mm 300 x 150 x 200mm



UNIVERSAL BASE UNIT 14 x 19 x 21/4" 355 x 482 x 55mm

145

Sierra Color selection should be chosen from actual samples. Color selection should be chosen from actual samples. Granite



Pisa Smooth XL





GRANITE

FIELDSTONE





COPING 15³/₄ x 11⁷/₈ x 3" $400 \times 300 \times 75 \, mm$



CORNER 15³/₄ × 7¹/₈ × 5¹/₈" 400 x 200 x 150 mm



CLASSIC

SienaEdge™



NOTE: Coping Unit can also act as a closed end unit with the unique patented locking mechanism.





STANDARD / CORNER UNIT 11½ x 39¾ x 7" 290 x 1000 x 180mm



COPING 11½ x 39¾ x 7" 290 x 1000 x 180mm

147

Granite





SienaStone^{**}



NATURAL

SPECIAL ORDER

SPECIAL ORDER PRODUCT

Minimum quantities may apply

200 x 1000 x 185 mm



STANDARD 925 36½ x 39¾ x 7¾" 925 x 1000 x 185mm

STANDARD 333 13 x 39 % x 7 3/8"

STOCK UNITS



COPING 19³/₄ x 39³/₈ x 7¹/₄" 500 x 1000 x 185mm



STANDARD 500 19³/₄ x 39³/₈ x 7³/₈" 500 x 1000 x 185mm



CORNER 90° (LEFT & RIGHT) 19³/₄ x 36¹/₂ x 7³/₈" 500 x 925 x 185mm



CLASSIC

RomanPisa^{**}







RIVER



SIERRA



STANDARD 7% x 11% x 5% " 200 x 300 x 150mm



CORNER7% x 11% x 5%"
200 x 300 x 150mm



TAPERED7% x 11% x 5%"
200 x 300 x 150mm



PISA COPING 11% x 11% x 3" 300 x 300 x 75mm



LEDGESTONE COPING 12 x 24 x 2³/₄" 305 x 610 x 70mm

Color selection should be chosen from actual samples.

Granite





Split'N Stack™








GRANITE

RIVER

SIERRA

WEDGE UNIT



 $7\% \times 7\% \times 3\%$ " 200 x 200 x 100mm



CLASSIC

RomanStack







RIVER

SIERRA

WEDGE UNIT



 $7\% \times 7\% \times 3\%$ " 200 x 200 x 100mm

151


Firepits and Fire Features

Imagine flames crackling on a cool night, curling up under the stars with friends and family, and sipping a warm cup of hot chocolate. Soak up that sense of bliss from your backyard with a Unilock firepit!









HEAT DAMAGE PREVENTION

To ensure a long-lasting fire feature, direct exposure to extreme heat from an open flame should be avoided. Always construct fire features with a protective heat barrier such as a metal insert, refractory blocks or approved firebrick to prevent potential heat damage.

NOTE: Large fires and extreme heat are detrimental to concrete.

SUNSET FIREPIT KIT



FIREPIT INSERT

Firepit kit comes with a firepit insert (sold separately) that fits securely into the firepit.

PRE-BUILT ELEMENTS



TUSCANY

Pre-built elements are constructed of Brussels Dimensional System™ with Copthorne® or Umbriano® accents. Speak to your contractor for more information.

Outdoor Kitchens

There's nothing more fun than cooking al fresco. An outdoor kitchen is an entire, defined space dedicated to preparing meals among family and friends, but with a much livelier backdrop!





Learn about things to consider when designing your outdoor kitchen.









Design Considerations

Think about how you'll use the space, the outdoor appliances you need, the best location for a kitchen in your yard, and how it will weather in the elements over time.






From a practical side, an outdoor kitchen is an extension of your home's living and entertaining space, allowing you to make the most of your backyard.

Water Features & Pillars

From fountains and ponds, to waterfalls and custom water features, these soothing additions are a popular way to enhance your landscape design.









Elevate your outdoor space to new heights by incorporating pillars into your design. With varying heights and functions, pillars create a sense of permanence and strength while also adding visual flair. Take it a step further by incorporating landscape lighting into your pillars to set the mood at night.

Creative Ideas


The versatility of Unilock products provides a playground for your imagination. From mixing patterns and colors to create a custom sports court, to utilizing Unilock wall systems to beautify a utilitarian window well, the possibilities are endless!



This small storage area becomes a thing of beauty, paved with Unilock Beacon Hill™ Smooth and Universal Coping treads.









Steps, Treads, Coping & Caps

From classic, fullnose shapes to pitched-face edges, our steps, treads and coping offer a wide variety of choices for the finishing touch on your project.

Ledgestone™ Steps, Coping & Pillar Cap



REALA™ Cast from natural stone





BUFF

GREY



48" STEP 24 x 48 x 51/8" 610 x 1220 x 150mm



LARGE COPING 13½ x 30 x 2¾" 343 x 762 x 70mm

343 x 762 x 70mm



COPING 12 x 24 x 2³/₄" 305 x 610 x 70mm



LARGE CLOSED END COPING 13½ x 30 x 2³/₄"



CLOSED END COPING 12 x 24 x 2³/₄" 305 x 610 x 70mm

FULLNOSE COPING

12 x 24 x 2³/₈"

305 x 610 x 60mm



24" PILLAR CAP 24 x 24 x 37/8" 610 x 610 x 100 mm

29" PILLAR CAP 29% x 29% x 3%" 740 x 740 x 100mm





Umbriano® Coping



FRENCH GREY

SUMMER WHEAT

WINTER MARVEL

GRENADA WHITE



MIDNIGHT SKY









ENDURACOLOR®



Architectural Coping & Pillar Cap



BUFF



CHARCOAL



COPING24 x 14 x 2³/₈"
609 x 355 x 60mm



PILLAR CAP 28 x 28 x 3" 711 x 711 x 75mm

ENDURACOLOR






AUTUMN HARVEST SANDSTONE



INDIAN COAST SANDSTONE



GOLDEN SAND SANDSTONE



IVORY SAND SANDSTONE



STONE CLIFF GREY SANDSTONE



BLACK RIVER LIMESTONE



WINTER MIST LIMESTONE 36" (3') length coping only



48" NATURAL EDGE 117/8 x 471/2 x 2" 300 x 1200 x 50mm

48" NATURAL EDGE 131/8 x 471/2 x 2"

356 x 1200 x 50mm

Black River and Stone Cliff Grey only



48" FULLNOSE 111/₈ x 471/₂ x 2" 300 x 1200 x 50mm

48" FULLNOSE 131/8 x 471/2 x 2" 356 x 1200 x 50mm

Black River and Stone Cliff Grey only



24" PILLAR CAP 235/8 x 235/8 x 25/8" 600 x 600 x 65mm

28" PILLAR CAP 28 x 28 x 25/8" 725 x 725 x 65mm Black River and Stone Cliff Grey only



4' LENGTH STEP 15³/₄ x 47¹/₄ x 5⁷/₈" 400 x 1200 x 150mm

Universal Coping



DARK CHARCOAL

ENDURACOLOR"



14 x 19 x 2³/₄" 355 x 482 x 70mm

SienaStone™



GRANITE



NATURAL



STEP 19³/₄ x 47¹/₄" x 7³/₈" 500 x 1200 x 185mm

Fullnose[™] & Double Fullnose Coping

AVAILABLE IN BOTH ANTIQUED AND CLASSIC FINISH



LIMESTONE



DARK CHARCOAL



SANDSTONE



MOCHA **NEW**



SIERRA



Antiqued Finish



Classic Finish



DOUBLE FULLNOSE 51/8 x 111/8 x 23/4" 150 x 300 x 70mm



Pisa™ 12" Coping



GRANITE



RIVER



SIERRA




111/8 x 111/8 x 3" 300 x 300 x 75mm





Learn & Plan

Nothing ventured, nothing gained! Transform your hardscape ideas into bold, thrilling reality with the right help, knowledge and preparation. Unilock has the experts, the plans and the tools you need to succeed!







UNILOCK Outdoor Idea Center

See

An expansive display of Unilock products in a life-size outdoor setting

Talk

To our knowledgeable staff and we'll help you create a plan to achieve the outdoor space you're dreaming about.

Take

FREE samples of Unilock paver and wall products home with you.

Come visit us in Rittman or Cincinnati



Scan here for more information and a 3D virtual tour!

Please feel free to walk around and browse our Outdoor Idea Center at any time. Call 1-800-UNILOCK or visit Unilock.com for more details and staff hours.



Rittman Location 12560 Sheets Road Rittman, OH 44270 Cincinnati Location 8600 Southwest Parkway Harrison, OH 45030







3D Rendering Created with Uvision® 3D Design Software



Finished Project

While there are many contractors and designers who still prefer to draw by hand, more and more plans today are being created digitally and in 3D.

If you're having trouble imagining what your project will look like when it's complete, a 3D design can really help.

Speak to your contractor about how 3D design can help you visualize the possibilities for your project!

Connect with us online or by phone to find a qualified contractor who can prepare a 3D design for your project!

Your one-stop shop for a wide variety of resources to help you kick-start your hardscape project, the Unilock way!

Resources at Unilock.com

Throughout your project journey we know you'll have lots of questions, and our website has answers. From the hundreds of topics covered in our Knowledge Center, to design advice and inspiration, we're here to help far beyond your selection of Unilock products. We can even help you connect with a local installation contractor you can trust. Connect with us online or at 1-800-UNILOCK.



Knowledge Center



Design Advice




Unilock Authorized Contractors



Frequently Asked Questions



Protect your Investment



Spring ®

While the majority of Unilock products require little maintenance, there are a number of preventative steps that can be performed each spring to ensure that your project keeps its pristine appearance throughout patio season.

Examine for "creep" – this is where pavers push out as a result of winter stress, traffic or edge restraint failure – as well as dips, deformations or stains. Should you discover any of these problems, they are fixable; speak to your contractor or reach out to us for solutions. Wash your paver surface with a simple soap and water solution and top up jointing material if necessary.

Fall

While the leaves changing colors in the fall is a beautiful sight, the stains they leave behind on pavers can be an eyesore. Clean any debris, and remove any planters, barbecues or furniture that may leave behind rust marks.



Winter **₩**

Metal blades on plows or shovels may scratch the surface of your pavers. It is recommended you use plastic shovels or protective plastic blades on your plows or snow blowers. Although Unilock products are resistant to de-icing salt, it is strongly advised to use calcium-based products or rock salt (sodium chloride) to melt ice.

Note: Avoid magnesium-based de-icing products as they are very aggressive and may cause damage to the surface of pavers.

STOP WEEDS BEFORE THEY TAKE ROOT

Weeds do not grow up from the soil below. Instead, dirt and weed seeds blow in from adjacent lawn and garden areas and may germinate in between the joints. Keeping the joint sand topped up near the surface will help the weed seeds to blow over the joint and not into the joint.

IN THE PAST - Basic sand was the only jointing material available. Rain would erode the sand if it wasn't replaced frequently, leaving parts open to vegetation growth.

TODAY - There are new types of sand-stabilizing compounds and polymeric jointing materials that relieve homeowners of this maintenance worry.

Finding the Right Fit

Even the best materials can be spoiled by subpar installation and craftsmanship, which is why choosing the right contractor for the job is the most crucial decision for your project. Remember that the cheapest quote is rarely the best option, so make sure to ask the right questions.





NEED HELP FINDING A OUALIFIED CONTRACTOR?

Unilock Authorized Contractors have met our exacting standards for installation methods and business practices. Connect with us online, by phone or at one of our locations and we'll be happy to connect you with a contractor in your area who is guaranteed to do the job right.



Register online at Unilock.com and we'll match you with a Unilock Authorized Contractor in your area.

8 Tips for Choosing a Contractor



1 WORKMANSHIP

Ask to see completed projects from more than two years ago to see how their work holds up.

Are the curves of the project cut in a way that minimizes large gaps? Are small or awkward cuts minimized?

Have edge restraints been used and are they still in place?

How long does the contractor guarantee their work?

Has there been a warranty claim filed against the company in the past two years?

2 SUB-CONTRACTING

Some contractors will hire other companies to perform parts of the work, like lighting and irrigation. Be sure to ask how these sub-contractors will be managed or vetted.



Scan here for a Project Planning Guide and helpful Contractor Checklist.

3 EXPERIENCE

How long has the contractor been installing pavers and walls?

Has the contractor installed projects in the past with the features you're considering?

4 PREPARATION

What are the contractor's base preparation methods?

What materials are used and why?

Is there a standard procedure for base preparation or will the contractor assess your site's unique needs?

5 SCHEDULE

How far in advance are projects being booked and how long might your project take?

What are the contractor's payment terms?

Do they require a deposit upfront to secure the timing of the project?

6 DOCUMENTATION

Does the contractor have the proper licensing for their work?

Does the contractor have liability insurance and are employees covered by Workers Compensation?

Will permits be required for the job and if so, who is responsible to secure them?

7 COMPATIBILITY

Do you like this contractor? Can you trust them? Can you easily communicate and understand each other?

Will the person you're meeting be on site throughout the project or will someone else be your day-to-day point of contact?

Contact references to help understand how your contractor will operate throughout a project.

8 DESIGN

Do they offer a design service? What is the cost for this?

Do they offer hand-drawn or 3D-rendered concept designs?

Are the contractor's designs something you would like for your project?

Time to Break Ground



1 EXCAVATION

All outdoor projects should begin with the removal of grass and topsoil. The depth will be determined by two things:

- 1. **Soil Type** Sandier soil requires less excavation than clay-based soil.
- **2. Use** Patios and walkways, which take lighter loads should require less excavation than driveways and retaining walls, which require deeper excavation.

Depth of excavation can be reduced significantly if a layer of DriveGrid is placed at the bottom of the excavation before gravel gets placed. Loose subsoil should always be compacted prior to installing DriveGrid and gravel.



Learn about frequently used terms in the hardscape industry.

2 GRAVEL BASE

A gravel base is placed into the excavated area. Ideally, this gravel base will need to be:

- > **Strong enough** to support the weight of anything placed on the surface.
- > **Free draining** to allow water to escape the base and enter the subsoil. A perforated drain pipe in the gravel base may be necessary for retaining walls in order to direct water away from the wall's base.
- > **Extended** at least 6" (150mm) beyond the finished paver surface's edges.
- > Compacted in several layers, using the proper equipment.

3 BEDDING LAYER

On top of the firm gravel base, a 1" (25mm) layer of sand or tiny stone chips is spread out and smoothed. This layer enables the levelling or sloping of paver or wall units for drainage and smoothness.

Some contractors may recommend a poured concrete surface over a standard bedding layer, which is acceptable if the concrete is carefully poured and rests on a solid, well-drained base.

Note: Once concrete is poured, the height of paver or wall units can no longer be adjusted.



4 RESTRAINT SYSTEM

To prevent pavers from shifting, a concrete edge will be constructed or an edge restraint fixed with long metal spikes. For walls, adhesive can be used to secure rows of blocks together. Larger retaining walls may require geogrid every few layers to secure the wall into the soil that is being retained.

5 JOINT MATERIAL

There are three types of joint material to choose from:

Basic Jointing Sand – Years ago, this was the only joint material available. As it wears away, issues with weeds could arise. If you decide to choose basic sand, we advise using a joint stabilizing sealant and be ready to top up the sand as necessary.

Polymeric Sand - This special sand is blended with a binding ingredient to help it stay in place longer. Check with your local Unilock Dealer for the best jointing sand/compound for your project.

Resin Sand – Resin sands are the strongest jointing sand available, and have been proven to have the longest lifespan of any jointing sand. Different resin sands are available for various uses.

6 SEALING


Unilock pavers will be durable with or without a sealer. Some homeowners may choose to apply a sealer to enhance paver color, while others choose to appreciate the color of the pavers as they are. If you decide to seal, be prepared to re-seal your pavers every 3-5 years.

Factory-Sealed Products


Elegance® pavers and Unilock® pavers manufactured with EasyClean® have been pre-sealed at the factory.

To clean and brighten the surface at any time, a gentle power washing of the surface is recommended. If you wish to re-seal, wait a minimum of three years before applying sealant. Use only solvent-based sealants on factory-sealed products.

PAVER CONSTRUCTION




WALL CONSTRUCTION




A proper base ensures that your pavers and walls won't shift during freeze/thaw cycles.

The Choice of Design Professionals

For decades, architects, landscape architects, and engineers have used the same Unilock products that are available to homeowners to design world-class commercial spaces across North America.







Indianapolis Motor Speedway, Indianapolis, IN Designer: Browning Day Mullins Dierdorf







White Plains Public Library, White Plains, NY Designer: IQ Landscape Architects

Our Quality Commitment





Visit Unilock.com to register for your Transferable Lifetime Guarantee.

Unilock was the first concrete paver manufacturer in North America to offer a Lifetime Guarantee, and since then we have continued to stand behind it to ensure customers are completely satisfied with our products. With almost 2 billion stones in the ground, that's quite the commitment!

Our products are better and stronger than other brands. In fact, our internal standards of manufacturing in the USA and Canada far exceed industry standards set by ASTM (American Society for Testing and Materials) and CSA (Canadian Standards Association) and other European organizations.

LIFETIME GUARANTEE - RESIDENTIAL

Our Transferable Lifetime Guarantee warranties the structural integrity of Unilock concrete paving stones and retaining wall units when used in residential applications. It covers any structural failure or deterioration of the concrete unit resulting from normal use or from the reasonable application of sodium chloride (common rock salt used for de-icing). StoneMark products have the same warranties as Unilock paving stones and retaining walls, but cannot be warrantied against damage resulting from de-icing products.

Any materials installed and maintained to our guidelines, and subject to normal wear, that prove defective, will be replaced without cost. Proof of purchase is required. Customers are encouraged to submit receipts to us as soon as their project is complete, using the Unilock

Warranty Registration Form on our website (Unilock.com).

Purchasers need to ensure that the product they purchase is appropriate for their intended application; for example, only certain thicknesses of products are appropriate for driveways. Color matching of the replacement product and/or lost time cannot be guaranteed and labor costs related to installing replacement product is not included. Unilock reserves the right to seek a professional diagnosis and opinion to determine the exact cause of the product failure. If the failure falls within our warranty parameters, Unilock will replace the defective product.

EXCLUSIONS - Unfortunately, some things are beyond the control of Unilock, and are therefore not covered by this warranty. These include: naturally occurring efflorescence, hazing from polymeric jointing sand, scratching and chipping resulting from snow removal or construction equipment, damage caused by natural or un-natural disasters, or negligence by anyone other than Unilock. While EasyClean helps to increase a paver's resistance to staining from various substances, it does not make our products stain-proof nor does it resist every kind of stain. The Unilock warranty also does not cover deterioration or damage as a result of poor design or poor installation practices that are contrary to specifications as laid out by ICPI (Interlocking Concrete Pavement Institute) and the NCMA (National Concrete Masonry Association). For more information please visit www.icpi.org and www.ncma.org. Additionally, please refer to the Maintenance, Color and Installation Advisories.

MAINTENANCE ADVISORY

1. Cleaning and Sealing

As with anything that is outdoors, Unilock products are subject to harsh weather, dust, acid rain, leaf stains, water stains and general wear from foot or vehicular traffic. Therefore, periodic cleaning using environmentally safe detergents designed for cleaning concrete is recommended to maintain a bright, fresh appearance.

To make subsequent cleaning easier and more effective, a concrete sealer can be applied to new or cleaned products to help prevent the penetration of substances that can cause stains.

There are many types of concrete cleaners and sealers on the market.

Always read the instructions carefully before using the product to make sure that it will function as expected. Testing first, in a small unobtrusive area, is always a good idea to ensure the results are acceptable. Consult your local hardscape dealer to find the products best suited for your paver or wall installation.

2. Winter Maintenance

Snow removal by way of metal blades on plows or shovels will scratch and chip the surface of pavers, causing permanent damage. To mitigate this risk, metal snow clearing blades must always have a polyurethane or rubber cutting edge attached when plowing pavers.

De-icing Salts - The use of de-icing products on paver surfaces is important for safety and to help mitigate snow accumulation. Most de-icing products will have some effect on concrete, even if the product label indicates that it

is safe on concrete. If you must use a de-icing product, we recommend that you use Sodium Chloride (ordinary rock salt) or Calcium Chloride (for colder climates). Always apply sparingly. The use of de-icing products on StoneMark, wet-cast pavers, slabs or coping may damage the product and therefore is not recommended. Whenever possible use a coarse sand as an anti-slip measure instead of de-icing chemicals.

COLOR ADVISORY

1. Selection

Due to the inherently variable nature of printed materials and digital monitors, Unilock cannot guarantee that products will match the color of printed or online images. Therefore, when making final product selections, decisions should be made based on actual stones which are readily available from Unilock, Authorized Contractors or Authorized Dealers. Most Unilock products are not comprised of a single color, but rather contain blended colors for a more natural appearance. This means that there will be significant color variance from stone to stone, so purchasers should view multiple units together to get a more accurate impression of the overall color. Note: Unilock Natural Stone variations are outside the control of Unilock, Purchasers of natural stone must be willing to accept this inherent variability.

2. Pre-installation checking

Always check the label to ensure that the Unilock product delivered to your project is the product and color ordered. If there is a discrepancy, or if the product inside the packaging doesn't appear to be correct, contact your hardscape dealer before installing any pavers or wall units. If the product is installed, it indicates your acceptance of the products as delivered.

3. Blending

If the project requires more than one bundle of product it's always a good idea to draw product from several bundles when installing, as this ensures that any variation between bundles will be seamlessly integrated in the project. When bundles are from different production runs, random selection from multiple bundles is even more important.

4. Efflorescence

Efflorescence is a naturally occurring process that may appear as a white or light grey powder on the surface of concrete, clay or natural stone. It is temporary, and will disappear over time. However, if it is bothersome, an efflorescence cleaner can be used to remove it. There is no way to predict or prevent efflorescence. Because it does not compromise the structural integrity of the product, it is not covered by Unilock product warranties.

INSTALLATION ADVISORY

1. Construction Residue

While a certain amount of dirt on pavers and walls is inevitable during the construction phase, installers are strongly encouraged to clean as they go as construction residue can embed in the surface and become difficult to remove. The slurry produced during wet-saw cutting is particularly stubborn to clean if allowed to dry on the surface of

pavers. Unilock warranties do not cover stains caused by a failure to remove construction residue.

2. Polymeric Haze

Surface hazing caused by polymeric jointing sand is not the responsibility of Unilock. Polymeric jointing sand should only be installed by an experienced and knowledgeable contractor. Any sand that is left on the surface prior to activation will result in a haze that is very difficult and time-consuming to remove. Only the highest quality, brand name polymeric sand that is guaranteed by the manufacturer should be used.

3. Compaction Damage

Both smooth and textured paver surfaces can be scratched by compaction equipment used to 'flatten' a new paver installation. Therefore, metal plate compactors must be fitted with a polyethylene mat to protect the paver surface from becoming scratched, or a superior option is to use a rubber-roller compactor instead. Damage to product surfaces caused by failure to follow these instructions is not covered by Unilock product warranties.

FIRE PIT WARNING

Wood-burning fire pits must be lined with a proper metal insert or refractory (fire-rated) brick to protect the concrete components from extreme exposure to heat. Extreme heat on a concrete surface may affect the structural integrity of the concrete and can be dangerous. The floor of the fire pit should always be constructed using refractory brick or a sand bed. For your safety, always use a spark screen over the fire.

Index

PAVERS AND SLABS

Artline™	83
Beacon Hill™ Flagstone	67
Beacon Hill Smooth	65
Boulevard™	
Bristol Valley®	75
Brussels Block [®]	70
Camelot™	72
Copthorne®	125
Courtstone®	117
Eco-Line [®]	102
Eco-Optiloc™	104
Eco-Priora [™]	105
Eco-Promenade®	103
Granito™	93
Hex™	
Holland Premier™	87
Hollandstone™	
II Campo°	89
Mattoni™	85
Natural Stone	109
Nordic Cobble	
Porcelain Tile	111
Promenade EcoTerra	97
Promenade 80mm	99
Promenade 100mm	101
Richcliff®	113
Series [™]	96
Skyline [™]	81
Thornbury™	91
Town Hall [®]	121
Treo [®]	68
Treo Smooth	69
Tribeca Cobble [™]	106
Umbriano [®]	77
Umbriano Slab	79
Westport [™]	71

RETAINING WALLS AND VERTICALS

Ledgestone™ Natural Stone

SienaStone™

Umbriano Coping

Universal Coping

Pisa...

Brussels Dimensional System [™] 143 Dimensional Smooth [™] 143 Estate Wall [™] 141 Lineo [™] Dimensional Stone 137	Borders & Accents Coatings & Finishes Classic ColorFusion™
Pisa™ 144 Pisa XL 145 Pisa Smooth XL 146 Rivercrest® Wall 139	Construction Process Contractor Tips Coping
RomanPisa™ 149 RomanStack™ 151 SienaEdge™ 147 SienaStone™ 148	Creative Ideas
SplitN'Stack™ 150 U-Cara° 131 U-Cara Modular System 134 U-Cara Wall Mount System 135	Joint Material Laying Patterns Maintenance
STEPS, TREADS, COPING & CAPS	Outdoor Idea Center Outdoor Kitchens Permeable Pavers Pillars
Architectural Coping & Cap 161 Brussels Fullnose™ 163 Double Fullnose™ 163 Ledgestone™ 160 Natural Stone 162	Reala [™] Retaining Walls Steps Ultima [™]

163

. 161

TOPICS OF INTEREST

. 170

. 52

. 58

. 55

..57

. 158

Unilock Ltd. and Hengestone Holdings, Inc. are the owners or authorized users of all trademarks used in this publication unless otherwise specified. Umbriano® are trademarks of Metten Stein + Design GmbH & Co KG used under license by Unilock®. Measurements throughout this portfolio are nominal. Not all products shown are available at all Unilock locations. Log on to Unilock.com for availability. Colors shown in this catalog should be used only as a guide. Colors should always be chosen from actual samples. Contact your local Unilock representative for color availability in your area.

Unilock Resources.

Unique Touches

Water Features.

Uvision

©2024 Hengestone Holdings, Inc.



FOLLOW US

















TRANSFORMING HARDSCAPES

BOSTON

(508) 278-4536

CHICAGO

(630)892-9191

MILWAUKEE

(262)742-3890

KANSAS

(913) 417-7985

MICHIGAN

(248) 437-7037

NEW YORK

(845)278-6700

MID-ATLANTIC

(202)798-2060

ONTARIO

(416)646-9000


CINCINNATI / KY / TN

(513) 202-0219

OHIO/WESTERN PA

/WNY&CNY

(330)927-4000



UNILOCK.COM 1-800-UNILOCK